


**Volume II**

**UCLA-ENG-99-206  
UCLA-FNT-107**

**On the Exploration of Innovative Concepts for Fusion  
Chamber Technology**

**APEX Interim Report**

**November, 1999**



**Fusion Engineering  
University of California, Los Angeles  
Los Angeles, California**

Volume II

UCLA-ENG-99-206  
UCLA-FNT-107

**On the Exploration of Innovative Concepts for Fusion Chamber Technology**

**Fusion Engineering  
University of California, Los Angeles  
Los Angeles, California**

This work is supported by the United States Department of Energy, Office of Fusion Energy, under contract # DE-FG03-86ER52123

#### **DISCLAIMER**

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or advertisement by the United States Government or any agency thereof. The views and opinions of authors herein do not necessarily state or reflect those of the United States Government or any agency thereof.

#### **AUTHORS**

M.A. Abdou, A. Ying, N. B. Morley, K. Gulec, S. Smolentsev, M.Z. Youssef, N. Ghoniem, S. Sharafat, T. Sketchley, A. El-Azab, T. Uchimoto  
**University of California, Los Angeles (UCLA)**

R. Mattas, D. Sze, J.N. Brooks, A. Hassanein, S. Majumdar, Z. Wang  
**Argonne National Laboratory (ANL)**

B. Nelson, S. Zinkle, P. Fogarty, R. Maingi  
**Oak Ridge National Laboratory (ORNL)**

C. Wong, C. B. Baxi, T.E. Evans, E. Reis, R. Schleicher  
**General Atomics (GA)**

R. Nygren, M. Ulrickson  
**Sandia National Laboratory (SNL)**

K. McCarthy, L. Cadwallader, B. Merrill, R.L. Moore, D. Petti, S. T. Schuetz  
**Idaho National Engineering and Environmental Laboratory (INEEL)**

D. Meade, R. Woolley  
**Princeton Plasma Physics Laboratory (PPPL)**

M. Tillack and D. Zhang  
**University of California, San Diego (UCSD)**

R. Moir, T. D. Rognien, M. E. Resnink  
**Lawrence Livermore National Laboratory (LLNL)**

M. Sawan, H. Khater, E. Mogahed, J. Santarius, I. Sviatoslavsky  
**University of Wisconsin (UW)**

S. Willms  
**Los Alamos National Laboratory (LANL)**

S. Malang  
**Forschungszentrum Karlsruhe (FZK)**

M. Kotschenruether, B. Dorland, H. Rappaport  
**University of Texas (UT)**

M. Youssef, M. Sawan, C. Wong  
**EDITORIAL BOARD**

## TABLE OF CONTENTS

<b>CHAPTER 1: OVERVIEW</b>	Volume I
<b>CHAPTER 2: INTRODUCTION</b>	2-2
<b>CHAPTER 3: STUDY APPROACH</b>	3-2
<b>CHAPTER 4: EVALUATION CRITERIA</b>	
4.1 Introduction	4-2
4.2 Information Required for Scientific Evaluation	4-4
4.3 Scientific Evaluation Criteria	4-5
4.3.1 Minimum Functional Requirements	4-5
4.3.2 Potential for Improved Attractiveness	4-5
4.3.2.1 High Power Density and Heat Flux Handling	4-5
4.3.2.2 High Power Conversion Efficiency	4-6
4.3.2.3 Availability	4-6
4.3.2.4 Safety and Environmental Attributes	4-7
4.3.2.5 Cost	4-8
4.3.3 Design Margins and Uncertainties	4-9
4.3.4 Critical Issues and R&D Needs	4-9
<b>CHAPTER 5: THICK LIQUID BLANKET CONCEPT</b>	
5.1 Introduction	5-2
5.2 Description and Rationale	5-6
5.2.1 Application of Thick Liquid Walls to Tokamak Configurations	5-8
5.2.2 Thick Liquid Wall for Alternative Confinement Configurations	5-4
5.2.2.1 Field Reversed Configuration (FRC)	5-19
5.2.2.2 Applications of Thick Liquid Wall to FRC and ST Confinement Configurations	5-22
5.3 Nuclear Analysis	5-26
5.3.1 X-rays Heat Deposition due to X-rays Penetration	5-26
5.3.1.1 Attenuation Length of X-rays in Liquid Materials	5-27
5.3.1.2 X-rays from Classical Bremsstrahlung Radiation	5-28
5.3.1.3 Heat Deposition Profiles in Li and Flibe	5-30
5.3.1.4 Nuclear Heat Deposition Profiles	5-35
5.3.2 Tritium Production, Heat Deposition, and Radiation Damage Characteristics in the Thick Liquid FW/Blanket Concepts.	5-39
5.3.2.1 Case A: No Shielding Inside the Vacuum Vessel	5-39
5.3.2.1.1 Tritium Breeding	5-40
5.3.2.1.2 Heat Deposition	5-44
5.3.2.2. Case B: Shielding Behind the Liquid FW/Blanket	5-46
5.3.2.2.1 Tritium Breeding ratio and Power Multiplication	5-48
5.3.2.2.2 Attenuation Characteristics of Several Liquid Breeders	5-52
5.3.2.2.3 Shielding Effectiveness	5-55
5.3.3 Activation	5-60

	5.3.3.1 Introduction	5-60
	5.3.3.2 Activity and Decay Heat	5-60
	5.3.3.3 Waste Disposal Ratings	5-65
	5.3.3.4. Comparison between liquid and conventional blankets	5-66
5.4	Hydrodynamics Analysis	5-72
	5.4.1 Hydrodynamics of APEX Liquid Walls	
	5.4.1.1 Influence of Magnetic Field on hydrodynamics and Heat Transfer for Free Surface Flows	5-72
	5.4.1.2 Mathematical Model for Liquid Metal MHD Flow	5-73
	5.4.1.3 Application of the numerical code to the thick liquid wall concept (lithium)	5-77
	5.4.1.4 Hydrodynamics Characteristics of Tokamak Flibe Thick Liquid Walls	5-84
	5.4.1.5 GMD with Pocket Designs for Tokamak Devices	5-85
	5.4.2 Hydrodynamics Design of Swirl Flow for FRC	5-94
	5.4.3 Hydrodynamics Design of Swirl Flow for ST	5-99
	5.4.4 Mechanisms Effecting the Stability of Swirl Flow and Perturbation Sources	5-101
5.5	Heat Transfer and Thermal-Hydraulics	5-106
	5.5.1 Liquid wall Surface Temperature Estimation and Heat Transfer	5-106
	5.5.1.1 Flibe Surface Temperature Estimation Based on Reynolds Analogy for Mass and Heat Transfer	5-112
	5.5.2 Numerical and analytical calculations of turbulence and turbulent heat transfer	5-115
	5.5.2.1 Two-layer model for free surface MHD turbulent flows and its application to heat transfer calculations	5-115
	5.5.2.2 Numerical calculations of turbulence and turbulent heat transfer based on the "k-epsilon" model of turbulence	5-120
	5.5.2.3 Final conclusions on turbulent heat transfer for low conducting liquids in the presence of the magnetic field	5-128
	5.5.3 Evaporation Estimation for FRC, spheromak and ST and core plasma contamination discussion	5-129
	5.5.3.1 The geometrical configuration	5-130
	5.5.3.2 Heat transfer model	5-135
	5.5.3.3 Model for incident power striking the liquid wall	5-136
	5.5.3.4 Temperature and evaporation rate versus time along fluid path	5-138
	5.5.3.5 Divertor heat load and evaporation discussion	5-142
	5.5.4 Temperature Distribution in Blanket Core and Support Structural Elements	5-145
	5.5.5 Power Conversion and Pumping Power Requirements	5-146
5.6	Structural Materials Issues for Thick Liquid Blanket Concepts	5-150
5.7	Mechanical Design and Configuration Layout	5-151
	5.7.1 Mechanical Design Features	5-151
	5.7.2 Maintenance	5-163
5.8	Evaluation of Liquid Options (Li, Flibe, SnLi)	5-166
	5.8.1 Impact of Magnetic Field on the Candidate Liquids	5-166

5.9	Information Required for Scientific Evaluation	5-169
5.10	Key Issues and R&D	5-172

## **CHAPTER 6: ELECTROMAGNETICALLY RESTRAINED LITHIUM BLANKET**

6.1	Introduction	6-2
6.2	Comparison with other Thick Liquid Blanket Concepts	6-6
6.3	Flow Phenomena with Injected Electric Current	6-8
6.4	Axisymmetric LMMHD Analyses	6-8
	6.4.1 Review Of Equations For 3-D LMMHD With DC Power Supply	6-8
	6.4.2 Derivation Of Axisymmetric LMMHD Equations	6-10
	6.4.3 Summary Of Simulation Equations	6-19
	6.4.4 Simulation Structure	6-22
6.5	Electromagnetic Interactions with Tokamak Plasma	6-25
6.6	Necessary Departures from Axisymmetry	6-25
6.7	Key Issues and R&D.	6-25

## **CHAPTER 7: THIN LIQUID WALL CONCEPTS AND THE CLIFF DESIGN**

7.1	Introduction	7-2
7.2	Idea Description and Rationale	7-4
	7.2.1 General Perspective and Preliminary Design Description	7-4
	7.2.2 Applications to Tokamaks	7-5
	7.2.3 Applications to Other MFE Confinement Schemes	7-5
7.3	Hydrodynamics Analysis	7-6
	7.3.1 Fast Liquid Layer Hydrodynamics for Turbulent Flibe Flow	7-7
	7.3.1.1 1½-D Hydraulics Analysis for Flibe Flow on Cylindrical Back-Wall	7-7
	7.3.1.2 Numerical Calculations of Turbulent Flow Based on the "k-ε" Model	7-9
	7.3.1.3 Surface and Boundary Layer Stability with Flibe	7-10
	7.3.1.4 Accommodation of Penetrations with Flibe	7-18
	7.3.2 Fast Liquid Layer Magnetohydrodynamics for Lithium and Sn-Li Flows	7-21
	7.3.2.1 1½-D Analytical solution for the liquid metal MHD flow in an open duct with isolated side-walls	7-22
	7.3.2.2 2-D Numerical solutions	7-23
	7.3.2.3 Surface and boundary layer instabilities	7-26
	7.3.2.4 Accommodations of penetrations in LM flow with MHD effects	7-29
7.4	Nuclear Analysis and Activation	7-51
	7.4.1 Numerical Model	7-51
	7.4.2 Tritium Breeding	7-52
	7.4.3 Heating Rate Profiles and Power Multiplication	7-52
	7.4.4 Damage Parameters	7-53
	7.4.5 Enhancing Tritium Breeding	7-54
	7.4.5.1 Effect of neutron multiplier on tritium breeding ratio	7-54
	7.4.5.2 Effect of the type of structure on tritium breeding ratio	7-55
	7.4.6 Activation Analysis	7-56

	7.4.6.1 Activity and decay heat	7-57
	7.4.6.2 Waste disposal ratings	7-57
7.5	Heat Transfer and Thermal-Hydraulics	7-72
	7.5.1 Free Surface Heat Transfer in Flibe	7-72
	7.5.2 Free Surface Heat Transfer in Liquid Metals	7-74
	7.5.3 Bulk Coolant Thermal-Hydraulics	7-74
	7.5.4 Power Cycle and Balance of Plant	7-76
7.6	Mechanical Design and Maintenance Approach	7-89
	7.6.1 Mechanical Design Features and Configuration Layout	7-89
	7.6.1.1 Convective layer forming device	7-89
	7.6.1.2 Convective layer collecting system, divertor, and vacuum pumping	7-90
	7.6.1.3 Concept for providing heating and diagnostic penetrations	7-90
	7.6.1.4 Piping arrangement	7-91
	7.6.2 Thermal and Pressure Stresses	7-91
	7.6.3 High Temperature Materials for Support Structures	7-91
	7.6.4 Maintenance	7-91
7.7	Safety and Failure Analysis	7-100
	7.7.1 LOCA Calculations	7-100
	7.7.2 Other Safety Issues and Reliability Issues	7-100
7.8	Evaluation of Liquid Options	7-102
7.9	Performance Summary for Evaluation	7-102
7.10	Key Issues and R&D	7-103
	7.10.1 Hydrodynamic and Heat Transfer Feasibility Issues	7-104
	7.10.2 Other system attractiveness issues	7-105

## **CHAPTER 8: DATA BASE FOR LIQUID BREEDERS AND COOLANTS**

8.1	Liquid Breeders Properties (Li, PbLi, Flibe)	8-2
	8.1.2 Physical Properties of Molten Natural Li	8-2
	8.1.3 Physical Properties of Pb-17Li	8-2
	8.1.4 Physical Properties of Molten Flibe (LiF) <sub>n</sub> • (BeF <sub>2</sub> )	8-3
8.2	Liquid Breeders Properties (Sn-Li)	8-7
	8.2.1 Introduction	8-8
	8.2.2 Phase Diagram	8-8
	8.2.3 Sn-Li Vapor Pressure	8-8
	8.2.4 Lithium Chemical Reactivity	8-10
	8.2.5 Tritium Solubility	8-10
	8.2.6 Material Compatibility	8-11
	8.2.7 Thermophysical Properties	8-11
	8.2.8 Tritium Breeding	8-11
	8.2.9 Conclusions	8-12
8.3	Evaporation Rates Versus Temperature	8-14

## **CHAPTER 9: LI<sub>2</sub>O PARTICULATE FLOW CONCEPT – APPLE DESIGN**

9.1	Introduction	9-2
9.2	Mechanical Design of Apple	9-3



9.2.1	General Configuration	9-3
	9.2.1.1 Concept with Baffles	9-3
	9.2.1.2 Concept without Baffles	9-4
9.2.2	Accommodation of Penetration	9-5
9.2.3	Effect of Disruption	9-6
9.2.4	Maintenance of Exposed Apple Components	9-7
9.3	Particle Dynamics	9-7
9.3.1	Introduction	9-7
9.3.2	Analysis Method	9-9
	9.3.2.1 Particle flow model	9-9
	9.3.2.2 Radiation opacity	9-10
9.3.3	Simulation Results And Discussion	9-10
	9.3.3.1 Vertical Chute	9-10
	9.3.3.2 Flow From a Hopper	9-11
	9.3.3.3 Flow Along a Curved Back Wall	9-11
9.3.4	High Porosity Inlet Condition	9-13
9.3.5	Conclusions	9-14
9.4	Nuclear Analysis	9-14
9.4.1	Calculational Model	9-14
9.4.2	Blanket Optimization	9-14
9.4.3	Tritium Breeding and Energy Multiplication	9-15
9.4.4	Nuclear Heating and Radiation Damage	9-17
9.4.5	Vacuum Vessel and Magnet Shielding	9-18
9.4.6	Radial Build for the Reference Design	9-19
9.4.7	Decay Heat and Activation	9-20
	9.4.7.1 Introduction	9-20
	9.4.7.2 Activity and decay heat	9-20
	9.4.7.3 Waste disposal ratings	9-23

## **CHAPTER 10: EVAPORATION COOLING CONCEPT, EVOLVE**

10.1.	Introduction, motivation for selecting the concept	10-2
10.2.	Design description	10-3
	10.2.1 First Wall	10-5
	10.2.2 Primary breeding zone	10-6
	10.2.3 Secondary breeding zone and high temperature shield	10-8
	10.2.4 Divertor	10-8
	10.2.5 Primary cooling loops	10-9
	10.2.6 Power Conversion System	10-10
10.3	Neutronics	10-11
	10.3.1 One-Dimensional Scoping Analysis	10-11
	10.3.1.1 Calculational Procedure	10-11
	10.3.1.2 Tritium Breeding	10-13
	10.3.1.3 Nuclear Heating	10-16
	10.3.1.4 Structure Damage Rate	10-16
	10.3.1.5 Shielding Requirements	10-17
	10.3.1.6 Recommended Radial Build for the Reference Design	10-18

10.3.2	Two-Dimensional Neutronics Analysis for the Reference EVOLVE Design	10-19
10.3.2.1	Calculational Model	10-19
10.3.2.2	Tritium Breeding Ratio	10-20
10.3.2.3	Nuclear Heating Distribution	10-20
10.3.2.4	Radiation Damage in the Structural Material	10-22
10.3.2.5	Peak Vacuum Vessel and Magnet Nuclear Parameters	10-25
10.4.	Activation Analysis	10-26
10.4.1	Introduction	10-26
10.4.2	Activity and Decay Heat	10-27
10.4.3	Waste Disposal Ratings	10-29
10.5	Power Conversion	10-32
10.6	Thermo-mechanical Analysis	10-4
10.7	Tritium extraction	10-40
10.8	Safety	10-41
10.9	Critical issues, required R&D	10-42

## **CHAPTER 11: HIGH TEMPERATURE REFRACTORY ALLOY FIRST WALL AND BLANKET CONCEPT**

11.1	Introduction	11-2
11.2	Structural Material Selection and Compatibility Issues	2
11.2.1	structural material selection	11-2
11.2.2	He coolant impurity control	11-3
11.3	Mechanical Design	11-4
11.3.1	basic requirements and assumptions	11-4
11.3.1.1.	overall configuration	11-4
11.3.2	blanket module design	11-6
11.3.3	maintenance approach	11-14
11.4	Blanket Thermal-Hydraulics Design and Analysis	11-15
11.4.1	design inputs	11-15
11.4.2	first wall design with he-cooled porous medium	11-16
11.4.3	porous medium first wall design	11-18
11.4.3.1	materials	11-19
11.4.3.2	fabrication	11-20
11.4.3.3	high heat flux testing of He-cooled modules	11-22
11.4.3.4	design approach	11-23
11.4.3.5	thermal analysis	11-24
11.4.3.6	future work	11-27
11.4.4	swirl tape first wall design.	11-27
11.4.5	thermal stress analysis of apex first wall design	11-27
11.5	Nuclear Analysis	11-31
11.5.1	introduction	11-32
11.5.2	calculation model	11-32
11.5.3	tritium breeding and effect of structural material	11-34
11.5.4	nuclear heating and effect of structural materials	11-37
11.5.5	effect of breeders on tritium breeding and nuclear heating	11-40

11.5.5.1	damage parameters and effect of structural materials	11-45
11.5.6	damage parameters and effect of type of breeder	11-50
11.6	Activation Analysis	11-52
11.6.1	introduction	11-52
11.6.2	activity and decay heat	11-53
11.6.3	waste disposal ratings	11-55
11.7	Power Conversion System	11-57
11.8	Tritium Migration and Control	11-60
11.9	Safety	11-62
11.9.1	loss of coolant accident (LOCA) calculations	11-62
11.9.1.1	other safety issues and reliability issues	11-63
11.10	system design	11-65
11.11	Key Issues and R&D	11-68
11.12	Conclusions	11-68
11.13	Information Required for Scientific Evaluation	11-69

## **CHAPTER 12: PLASMA INTERFACE ISSUES AND EDGE MODELING**

12.1	Introduction	12-2
12.2	Edge Profiles of the Hydrogenic Plasma	12-3
12.3	Impurities from First-Wall Evaporation	12-5
12.4	Impurities from Divertor Sputtering and Evaporation	12-9
12.5	Effects of Large Transient Heat Loads – Disruptions	12-11
12.5.1	Plasma Interaction with Liquid wall during Plasma Instabilities	12-11
12.5.2	Erosion Mechanisms of Liquid Surfaces	12-13
12.5.3	Droplet-Shielding Effect	12-14
12.5.4	Total Mass Losses of Divertor Plate	12-15
12.6	Impact of Edge Conditions on Core Performance	12-18
12.7	Modeling Experimental Test Facilities	12-20

## **CHAPTER 13: MATERIALS CONSIDERATIONS AND DATA BASE**

13.1	Introduction	13-2
13.1.1	Material costs and fabrication issues	13-2
13.1.2	Overview of thermal stress capabilities of various alloys.	13-3
13.2	Structural Design Criteria	13-5
13.2.1	Definitions	13-5
13.2.2	Design rules	13-8
13.2.2.1	Low temperature design rules	13-8
13.2.2.2	High temperature design rules	13-10
13.3	Summary of thermophysical properties (unirradiated and irradiated)	13-11
13.3.1	Overview of Radiation Effects in Refractory Metals	13-14
13.3.1.1	Ta Alloys: T-111 (Ta-8W-2Hf)	13-15
13.3.1.2	Mo Alloys (TZM, Mo-Re)	15
13.3.1.3	W and W Alloys	13-15
13.3.1.4	Mo Alloys (TZM, Mo-Re)	13-15
13.3.1.5	W and W Alloys	13-15
13.4	Coolant/structure chemical compatibility	13-16
13.4.1	Temperature and Oxygen Partial Pressure Limits for Mo and W Alloys.	13-16

13.4.1.1	Boundary layer effects	13-18
13.4.2	Temperature and Oxygen Partial Pressure Limits for V, Nb and Ta Alloys.	13-21
13.4.3	Review of Corrosion Database for Li, Pb-Li, Sn-Li, and Flibe – coolant Concepts.	13-23
13.5	Summary and conclusions	13-25

#### **CHAPTER14: SAFETY AND ENVIRONMENT CONSIDERATIONS AND ANALYSIS**

14.1	Radiological Hazard of Materials	14-2
14.1.1	Coolants	14-2
14.1.2	Structural Materials	14-2
14.2	Loss of Coolant Accidents	14-4
14.3	Lithium Chemical Reactivity Issues	14-6
14.4	Reliability Issues	14-7
14.4.1	Existing Experiment In-vessel Maintenance Times	14-8
14.4.2	In-vessel Maintenance Times from Design Studies	14-8
14.4.3	Availability Estimates of Solid Wall Designs	14-10
14.4.4	Availability for Self-renewing Liquid Walls	14-11
14.4.5	Summary and Future Efforts on Reliability/Maintenance Issues	14-12
14.5	Waste Disposal Issues	14-13
14.5.1	Class C Waste and Recycling	14-13
14.5.2	Influence of Higher Wall Load	14-15
14.5.3	Waste summary	14-18
14.6	Safety and Environment Summary/Future Direction	14-19

#### **CHAPTER 15: SYNERGISM BETWEEN LIQUID METAL WALLS, TOKAMAK PHYSICS PERFORMANCE, AND REACTOR ATTRACTIVENESS**

15-2

#### **CHAPTER 16: TRITIUM**

16.1	Design constraints	16-2
16.2	Possible Tritium Recovery Method	16-2
16.2.1	Lithium	16-2
16.2.2	Flibe	16-3
16.2.3	LiPb	16-3
16.2.4	Sn-Li	16-4
16.2.5	He	16-4
16.3	Tritium inventory and control	16-4

#### **CHAPTER 17: POWER CONVERSION**

17.1	Steam Cycle	17-2
17.2	Close cycle gas turbine	17-2
17.3	Conclusions	17-4

## **CHAPTER 18: KEY ISSUES AND R&D ISSUES**

18.0	Introduction	18-2
18.1	Thick Liquid Blanket Concept (Chapter 5)	18-2
18.2	The Electromagnetically Restrained Lithium Blanket Concept (Chapter 6)	18-3
18.3	Thin Liquid Wall Concepts and the CLiFF Design (Chapter 7)	18-3
	18.3.1 Hydrodynamic and Heat Transfer Feasibility Issues	18-3
	18.3.2 Other system Attractiveness Issues	18-4
18.4	Data Base for Liquid Breeders and Coolants (Chapter 8)	18-5
18.5	Li <sub>2</sub> O Particulate Flow Concept and the APPLE Design (Chapter 9)	5
18.6	Evaporation Cooling Blanket Concept and the EVOLVE Design (Chapter 10)	18-6
18.7	Helium-Cooled Refractory Alloy FW and Blanket Concept (Chapter 11)	18-8
18.8	Plasma-Interface Issues and Edge Modeling (Chapter 12, Summary and Issues)	18-9
18.9	Materials Considerations and Data Base (Chapter 13, Summary and Issues)	18-11
18.10	Safety And Environment Considerations And Analysis (Chapter 14, Summary and Issues)	18-13
	18.10.1 Reliability Issues	18-14
	18.10.2 Waste Disposal Issues	18-14
	18.10.3 Summary/Future Direction	18-15
18.11	Synergy between Liquid Walls, Tokamak Physics Performance, and Reactor Attractiveness (Chapter 15, Summary and Issues)	18-16
18.12	Tritium (Chapter 16, Summary and Issues)	18-16
18.13	Power Conversion (Chapter 17, Summary and Issues)	18-17