

# SAFETY DATA SHEET

Revision Date 01-Apr-2015 **Revision Number** 1

1. Identification

TB Ziel-Neelsen Carbolfuchsin **Product Name** 

Cat No.: R40102; R40202

**Synonyms** No information available

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

**Emergency Telephone Number** Company

INFOTRAC - 24 Hour Number: 1-800-535-5053 Remel

12076 Santa Fe Drive Outside of the United States, call 24 Hour Number: 001-352-323-3500 (Call Collect)

Lenexa, KS 66215 United States Telephone: 1-800-255-6730

Fax:1-800-621-8251

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 4 Acute Inhalation Toxicity - Vapors Category 4 Skin Corrosion/irritation Category 1 B Category 1 Serious Eye Damage/Eye Irritation Germ Cell Mutagenicity Category 2 Carcinogenicity Category 1A Specific target organ toxicity (single exposure) Category 3 Target Organs - Respiratory system, Central nervous system (CNS).

Category 2

Specific target organ toxicity - (repeated exposure)

Target Organs - Liver, Kidney, Blood.

**Label Elements** 

#### Signal Word

Danger

### **Hazard Statements**

Harmful if swallowed

Causes severe skin burns and eye damage

May cause respiratory irritation

Harmful if inhaled

May cause drowsiness or dizziness

Suspected of causing genetic defects

May cause cancer

May cause damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### .. .. .. .. .

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

Rinse mouth

Do NOT induce vomiting

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

None identified

WARNING! This product contains a chemical known in the State of California to cause cancer, birth defects or other reproductive harm.

# 3. Composition / information on ingredients

Component	CAS-No	Weight %
Phenol	108-95-2	5.0
Ethyl alcohol	64-17-5	10.0
Methyl alcohol	67-56-1	<1.0
C.I. Basic red 9 monohydrochloride	569-61-9	< 1.0

## 4. First-aid measures

#### **General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or

inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Move to fresh air. Immediate

medical attention is required.

**Ingestion** Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effects Causes burns by all exposure routes. . Ingestion causes severe swelling, severe damage

to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus

should be investigated

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### NFPA

Health	Flammability	Instability	Physical hazards
3	2	0	N/A

#### Accidental release measures

Personal Precautions Use personal protective equipment. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak. Ensure adequate ventilation.

Refer to protective measures listed in Sections 7 and 8

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological

information.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** 

## 7. Handling and storage

Handling Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear

personal protective equipment. Do not breathe vapors or spray mist. Do not ingest.

Storage Keep out of the reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place. Keep in properly labeled containers. Corrosives area.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phenol	TWA: 5 ppm	(Vacated) TWA: 5 ppm	IDLH: 250 ppm
	Skin	(Vacated) TWA: 19 mg/m <sup>3</sup>	TWA: 5 ppm
		Skin	TWA: 19 mg/m <sup>3</sup>
		TWA: 5 ppm	Ceiling: 15.6 ppm
		TWA: 19 mg/m <sup>3</sup>	Ceiling: 60 mg/m <sup>3</sup>
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000 ppm	IDLH: 3300 ppm
		(Vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		TWA: 1900 mg/m <sup>3</sup>	
Methyl alcohol	TWA: 200 ppm	(Vacated) TWA: 200 ppm	IDLH: 6000 ppm
	STEL: 250 ppm	(Vacated) TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	Skin	(Vacated) STEL: 250 ppm	TWA: 260 mg/m <sup>3</sup>
		(Vacated) STEL: 325 mg/m <sup>3</sup>	STEL: 250 ppm
		Skin	STEL: 325 mg/m <sup>3</sup>
		TWA: 200 ppm	
		TWA: 260 mg/m <sup>3</sup>	

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV		
Phenol TWA: 5 ppm TWA: 19 mg/m³ Skin		TWA: 5 ppm TWA: 19 mg/m³ STEL: 10 ppm STEL: 38 mg/m³	TWA: 5 ppm Skin		
Ethyl alcohol	TWA: 1000 ppm TWA: 1880 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	STEL: 1000 ppm		
Methyl alcohol	TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³ Skin	TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 310 mg/m³	TWA: 200 ppm STEL: 250 ppm Skin		

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures** Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Tightly fitting safety goggles. Face-shield.

**Skin and body protection** Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before

re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work

area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

## 9. Physical and chemical properties

Liquid **Physical State** Purple **Appearance** 

No information available Odor **Odor Threshold** No information available рΗ No information available No data available Melting Point/Range

**Boiling Point/Range** No information available Flash Point No information available **Evaporation Rate** No information available Not applicable

Flammability (solid,gas)

Flammability or explosive limits

No data available Upper Lower No data available **Vapor Pressure** No information available **Vapor Density** No information available **Specific Gravity** No information available Solubility No information available Partition coefficient; n-octanol/water No data available

**Autoignition Temperature** No information available **Decomposition Temperature** No information available **Viscosity** No information available

VOC Content(%) 14.43

## 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stable under normal conditions. Stability

**Conditions to Avoid** Exposure to air or moisture over prolonged periods.

**Incompatible Materials** Strong oxidizing agents

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50 Category 4. ATE = 300 - 2000 mg/kg.

**Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Category 4. ATE = 10 - 20 mg/l. Vapor LC50

Component Information

Component information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phenol	LD50 = 317 mg/kg ( Rat ) LD50 = 340 mg/kg ( Rat )	LD50 = 630 mg/kg ( Rabbit )	LC50 = 316 mg/m <sup>3</sup> (Rat) 4 h
Ethyl alcohol	LD50 = 7060 mg/kg (Rat)	Not listed	20000 ppm/10H ( Rat )
Methyl alcohol	Calc. ATE 60 mg/kg (Human	Calc. ATE 60 mg/kg (Human	Calc. ATE 0.6 mg/L (vapours) or

	evidence) LD50 = 6200 mg/kg (Rat)	<b>evidence)</b> LD50 = 6200 mg/kg ( Rat )	0.5 mg/L (mists) (Human evidence) LC50 = 64000 ppm ( Rat ) 4 h 83.2 mg/L ( Rat ) 4 h
Toxicologically Synergistic	No information available		

**Toxicologically Synergistic** 

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

This product contains one or more substances which are classified by IARC as Carcinogenicity

> carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B). The table below indicates whether each agency has

listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Phenol	108-95-2	Not listed	Not listed Not listed N		Not listed	Not listed	
Ethyl alcohol	64-17-5	Group 1	Known	A3	X	Not listed	
Methyl alcohol	67-56-1	Not listed	Not listed	Not listed	Not listed	Not listed	
C.I. Basic red 9	569-61-9	Group 2B	Reasonably	Not listed	X	Not listed	
monohydrochloride			Anticipated				

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

Respiratory system Central nervous system (CNS) STOT - single exposure

Liver Kidney Blood STOT - repeated exposure

**Aspiration hazard** No information available

NTP: (National Toxicity Program)

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

Harmful to aquatic organisms. Contains a substance which is:. Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Phenol	EC50: 187 - 279 mg/L, 72h	4-7 mg/L LC50 96 h	EC50 21 - 36 mg/L 30 min	EC50: 10.2 - 15.5 mg/L, 48h	

	static (Desmodesmus subspicatus) EC50: 0.0188 - 0.1044 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: = 46.42 mg/L, 96h (Pseudokirchneriella subcapitata)	32 mg/L LC50 96 h	EC50 = 23.28 mg/L 5 min EC50 = 25.61 mg/L 15 min EC50 = 28.8 mg/L 5 min EC50 = 31.6 mg/L 15 min	(Daphnia magna) EC50: 4.24 - 10.7 mg/L, 48h Static (Daphnia magna)
Ethyl alcohol	EC50 (72h) = 275 mg/l (Chlorella vulgaris)	LC50 = 14200 mg/l/96h	Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min	, and the second
Methyl alcohol	Not listed	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	EC50 > 10000 mg/L 24h

Persistence and Degradability Bioaccumulation/ Accumulation

No information available No information available.

**Mobility** No information available.

Component	log Pow
Phenol	1.47
Ethyl alcohol	-0.32
Methyl alcohol	-0.74

# 13. Disposal considerations

**Waste Disposal Methods** 

Should not be released into the environment.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes		
Phenol - 108-95-2	U188	-		
Methyl alcohol - 67-56-1	U154	-		

# 14. Transport information

DOT

**UN-No** 1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III

<u>TDG</u>

**UN-No** 1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3 Packing Group III

<u>IATA</u>

**UN-No** 1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III

IMDG/IMO UN-No

1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III

# 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Phenol	Х	Х	-	203-632-7	-		Χ	Χ	Χ	Χ	Χ
Ethyl alcohol	Х	Х	-	200-578-6	-		Χ	Χ	Χ	Х	Χ
Methyl alcohol	Х	Х	-	200-659-6	-		Х	Х	Х	Х	Х
C.I. Basic red 9	Х	Х	-	209-321-2	-		Χ	-	-	Х	-
monohydrochloride											

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

**TSCA 12(b)** 

Not applicable

### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Phenol	108-95-2	5.0	1.0
Methyl alcohol	67-56-1	<1.0	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

## **CWA (Clean Water Act)**

	Component Times		CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Ī	Phenol X		1000 lb	X	X	

## Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Phenol	X		-
Methyl alcohol	X		-

**OSHA** Occupational Safety and Health Administration Not applicable

### **CERCLA**

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Phenol	1000 lb	1000 lb	
Methyl alcohol	5000 lb	-	

\_\_\_\_\_

#### **California Proposition 65**

This product contains the following proposition 65 chemicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category	
Ethyl alcohol	64-17-5	Development (alcoholic beverages only)	-	Developmental Carcinogen	
Methyl alcohol	67-56-1	Developmental	-	Developmental	
C.I. Basic red 9 monohydrochloride	569-61-9	Carcinogen	3 μg/day	Carcinogen	

### U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Phenol	X	X	X	X	X
Ethyl alcohol	X	Х	Х	X	Х
Methyl alcohol	X	X	X	X	X
C.I. Basic red 9 monohydrochloride	X	Х	-	X	-

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): NDOT Marine Pollutant NDOT Severe Marine Pollutant N

### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class D1B Toxic materials

E Corrosive material D2A Very toxic materials



# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Revision Date
 01-Apr-2015

 Print Date
 01-Apr-2015

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

\_\_\_\_\_

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**