

## **Infection Control Amplification in Nursing Centers**

See Something? Say Something! I CAN.

version 03-16-21 https://sites.brown.edu/ICAN

Hand Hygiene Observation Tool*							
Ce	nter Name: Unit(s):		Observer: Date:				
HH Practice**		Staff 1	Staff 2	Staff 3	Staff 4	# Y	# Y+N
	Location where staff member is being observed:						
	Role of staff member being observed:						
HH1.	Hand hygiene is performed before touching or providing care to a resident.	□ч □м □м	□ч □м □м	□y □n □m	□y □n □m		
HH2.	Hand hygiene is performed before moving from work on a soiled body site to a clean body site on the same resident.	□Y □N □M	□у □и □м	□y □n □m	□y □n □m		
ннз.	Hand hygiene is performed after touching a resident (including but not limited to providing care) or a resident's immediate environment.	□y □n □m	□y □n □m	□у□п□м	□Y □N □M		
НН4.	Hand hygiene is performed before entering a resident's room.	□у □и □м	□у □и □м	□y □n □m	□у □п □м		
HH5.	Hand hygiene is performed before leaving a resident's room.	$\square$ Y $\square$ N $\square$ M	$\square_{Y} \square_{N} \square_{M}$	$\square$ Y $\square$ N $\square$ M	$\square$ Y $\square$ N $\square$ M		
нн6.	Hand hygiene is performed after contact with bodily fluids or contaminated surfaces.	□у □и □м	□у □и □м	□y □n □m	□у □п □м		
HH7.	Hand hygiene is performed when hands are visibly soiled.	□Y □N □M	$\square$ Y $\square$ N $\square$ M	$\square_{Y} \square_{N} \square_{M}$	□Y □N □M		
HH8.	Hand hygiene is performed immediately prior to donning gloves.	□у □и □м	□у □и □м	□y □n □m	□у□п□м		
нн9.	Hand hygiene is performed immediately after doffing gloves.	□у □и □м	□у □и □м	□y □n □m	□у □п □м		
	Total # of Correct Practices Observed (#Y):	Total # Hand Hygiene Observations (# Y+N):  (Up to 36 possible)  (Total # Y ÷ Total Y+N x 100)					

<sup>\*</sup>Adapted from the Centers for Disease Control's <u>Hand Hygiene Practices</u> and the Prevention California Department of Health's <u>Healthcare-Associated Infections Program</u>.

<sup>\*\*</sup>CDC recommends prioritizing alcohol-based hand sanitizer over soap and water.

## **Infection Control Amplification in Nursing Centers**

See Something? Say Something! I CAN.

version 03-16-21 https://sites.brown.edu/ICAN

## **Hand Hygiene Observation Tool\***

## Instructions:

- (1) Randomly identify four staff to observe. Seek to conduct observations on multiple shifts.
- (2) For each staff observed, indicate the location of the observation (e.g., resident room, corridor, nursing station) and his/her role (e.g., nursing, housekeeping, therapy).
- (3) Observe each practice and check either Y (Yes) or N (No) to indicate whether or not it was done. If the practice could not be observed (e.g., your view of the staff member was obscured) or the practice was not applicable (e.g., the staff member did not provide care to a resident), check M (Missing).
- (4) At far right, record the total number of practices that were done (total Y) and the total number of observations (total Y+N).
- (5) Enter the totals and calculate the percent adherence manually in the row at bottom.