

Lecture 16

H(z) & Frequency Response

20-Nov-98

Info: Web-CT, Lab, HW

Calendar:

Final Exam is Period 15

Review Session(s) planned

Grade Weightings are posted

Prob Set #7 will be today/tomorrow

Prob-Set #7 due on last day

FORMAL Lab Report Template posted

READING ASSIGNMENTS

This Lecture:

Chapter 8, pp. 263-279

Other Reading:

Recitation: Ch. 8, pp. 261-272

POLES & ZEROS

Next Lecture: Chapter 8, pp. 279-300

LECTURE OBJECTIVES

SYSTEM FUNCTION: H(z)

H(z) has POLES and ZEROS

FREQUENCY RESPONSE of IIR

Get H(z) first

H(e^{j\hat{\omega}}) = H(z)|_{z=e^{j\hat{\omega}}}

THREE-DOMAIN APPROACH

h[n] <-> H(z) <-> H(e^{j\hat{\omega}})

IIR FILTER REVIEW

ADD PREVIOUS OUTPUTS

$$y[n] = 0.8y[n-1] + 3x[n] - 2x[n-1]$$

FEEDBACK COEFFICIENT

SIGN CHANGE

MATLAB

```
yy = filter([3,-2],[1,-0.8],xx)
```

IMPULSE RESPONSE


DIFFERENCE EQUATION:

$$y[n] = 0.8y[n-1] + 3x[n]$$

Find $h[n]$


$$h[n] = 3(0.8)^n u[n]$$

CONVOLUTION in TIME-DOMAIN



PLOT IMPULSE RESPONSE

$$h[n] = b_0(a_1)^n u[n] = 3(0.8)^n u[n]$$



THREE DOMAINS




Figure 8.13 Relationship among the n -, z -, and $\hat{\omega}$ -domains. The filter coefficients $\{a_k, b_k\}$ play a central role.

Z-Transform of IIR Filter

DERIVE the SYSTEM FUNCTION $H(z)$

Use DELAY PROPERTY

$$y[n] = a_1 y[n-1] + b_0 x[n] + b_1 x[n-1]$$

$$Y(z) = a_1 z^{-1} Y(z) + b_0 X(z) + b_1 z^{-1} X(z)$$

Time delay of n_0 samples multiplies the z -transform by z^{-n_0}

$$x[n-n_0] \iff z^{-n_0} X(z)$$

11/22/98

EE-2200 Fall-98 jMc

9

SYSTEM FUNCTION of IIR

NOTE the FILTER COEFFICIENTS

$$Y(z) - a_1 z^{-1} Y(z) = b_0 X(z) + b_1 z^{-1} X(z)$$

$$(1 - a_1 z^{-1}) Y(z) = (b_0 + b_1 z^{-1}) X(z)$$

$$H(z) = \frac{Y(z)}{X(z)} = \frac{b_0 + b_1 z^{-1}}{1 - a_1 z^{-1}} = \frac{B(z)}{A(z)}$$

11/22/98

EE-2200 Fall-98 jMc

10

CONVOLUTION PROPERTY

MULTIPLICATION of z -TRANSFORMS

$$X(z) \xrightarrow{H(z)} Y(z) = H(z) X(z)$$

CONVOLUTION in TIME-DOMAIN

$$x[n] \xrightarrow{h[n]} y[n] = h[n] * x[n]$$

IMPULSE
RESPONSE

EE-2200 Fall-98 jMc

11

SYSTEM FUNCTION

DIFFERENCE EQUATION:

$$y[n] = 0.8y[n-1] + 3x[n] - 2x[n-1]$$

SYSTEM FUNCTION:

$$Y(z) = \left(\frac{3 - 2z^{-1}}{1 - 0.8z^{-1}} \right) X(z)$$

11/22/98

EE-2200 Fall-98 jMc

12

POLES & ZEROS

ROOTS of NUMERATOR & DENOMINATOR

$$H(z) = \frac{b_0 + b_1 z^{-1}}{1 - a_1 z^{-1}} = \frac{b_0 z + b_1}{z - a_1}$$

$$b_0 z + b_1 = 0 \implies z = -\frac{b_1}{b_0} \quad \text{ZERO}$$

$$z - a_1 = 0 \implies z = a_1 \quad \text{POLE}$$

INTERPRET ROOTS


VALUE of H(z) at POLES is INFINITE

$$H(z) = \frac{b_0 + b_1 z^{-1}}{1 - a_1 z^{-1}} = \frac{b_0 z + b_1}{z - a_1}$$

$$H(z)|_{z=-(b_1/b_0)} = 0 \quad \text{ZERO}$$

$$H(z)|_{z=a_1} \rightarrow \infty \quad \text{POLE}$$

POLE-ZERO PLOT



FREQUENCY RESPONSE

- SYSTEM FUNCTION: $H(z)$
- $H(z)$ has DENOMINATOR
- FREQUENCY RESPONSE of IIR

We have $H(z)$

$$H(e^{j\hat{\omega}}) = H(z)|_{z=e^{j\hat{\omega}}}$$

- THREE-DOMAIN APPROACH

$$h[n] \leftrightarrow H(z) \leftrightarrow H(e^{j\hat{\omega}})$$

FREQUENCY RESPONSE


EVALUATE on the UNIT CIRCLE

$$H(e^{j\hat{\omega}}) = H(z)|_{z=e^{j\hat{\omega}}}$$

$$H(z) = \frac{b_0 + b_1 z^{-1}}{1 - a_1 z^{-1}}$$

$$H(e^{j\hat{\omega}}) = H(z)|_{z=e^{j\hat{\omega}}} = \frac{b_0 + b_1 e^{-j\hat{\omega}}}{1 - a_1 e^{-j\hat{\omega}}}$$


PLOT FREQ. RESPONSE



UNIT CIRCLE

MAPPING BETWEEN z and $\hat{\omega}$


The Complex z -Plane




$$z = e^{j\hat{\omega}}$$

$$\begin{aligned} z = 1 &\leftrightarrow \hat{\omega} = 0 \\ z = -1 &\leftrightarrow \hat{\omega} = \pm\pi \\ z = \pm j &\leftrightarrow \hat{\omega} = \pm\frac{1}{2}\pi \end{aligned}$$

3-D VIEWPOINT:
EVALUTE $H(z)$ EVERYWHERE




FREQ. RESPONSE from 3-D



11/

21


PHASE from 3-D PLOT



MOVIE for H(z) in 3-D

POLES to H(z) to Frequency Response

TWO POLES SHOWN



11/22/98

23

THREE DOMAINS





Figure 8.13 Relationship among the n -, z -, and $\hat{\omega}$ -domains. The filter coefficients $\{a_k, b_k\}$ play a central role.

3 DOMAINS MOVIE: IIR



11/22/98

25

SINUSOIDAL RESPONSE

- $x[n] = \text{SINUSOID} \Rightarrow y[n]$ is SINUSOID
- Get MAGNITUDE & PHASE from $H(z)$

if $x[n] = e^{j\hat{\omega}n}$, then

$$y[n] = \mathcal{H}(\hat{\omega})e^{j\hat{\omega}n}$$

$$\mathcal{H}(\hat{\omega}) = H(e^{j\hat{\omega}}) = H(z) \Big|_{z=e^{j\hat{\omega}}}$$

11/22/98

EE-2200 Fall-98 jMc

26

POP QUIZ

- Given:
$$H(z) = \frac{2 + 2z^{-1}}{1 - 0.8z^{-1}}$$
- Find the **Impulse Response**, $h[n]$
- Find the output, $y[n]$
 - When $x[n] = \cos(0.25\pi n)$

11/22/98

EE-2200 Fall-98 jMc

27

$H(z) = \mathbf{z\text{-Transform}\{ h[n] \}}$

- FIRST-ORDER CASE:
$$h[n] = a^n u[n]$$

$$H(z) = \sum_{n=0}^{\infty} a^n z^{-n} = \frac{1}{1 - az^{-1}} \quad |a| < z.$$

$$a^n u[n] \iff \frac{1}{1 - az^{-1}}$$

11/22/98

EE-2200 Fall-98 jMc

28