

# Assessment of Geriatric Depression

## References

- Cole M, Dendukuri N. (2003). Risk factors for depression among elderly community subjects: A systematic review and meta- analysis. *American Journal of Psychiatry*.160(6):1147-1156
- Christensen H, Jorm AF, Mackinnon AJ, Korten AE, Jacomb PA, et al. Age differences in depression and anxiety symptoms: A structural equation modelling analysis of data from a general population sample. *Psychol. Med.* 1999; 29:325–39.
- Conner, K. O., Copeland, V. C., Grote, N. K., Rosen, D., Albert, S., McMurray, M. L., . . . Koeske, G. (2010). Barriers to treatment and culturally endorsed coping strategies among depressed African-American older adults. *Aging & Mental Health*, 14(8), 971-983.
- Fisk, A., Wetherell, J. L., & Gatz, M. (2010). Depression in older adults. *Annu Rev Clin Psycho*, 5, 363-389
- Gallo, J., & Rabins, P. (1999). Depression without sadness: alternative presentations of depression in late life. *American Family Physician*, 60(3), 820-826.
- Gallo JJ, Anthony JC, Muthén BO. Age differences in the symptoms of depression: A latent trait analysis. *J. Gerontol.* 1994;49:P251–64
- Geriatric Mental Health Foundation . (2011). Retrieved from:  
[http://www.gmhfonline.org/gmhf/consumer/factsheets/depression\\_factsheet.html](http://www.gmhfonline.org/gmhf/consumer/factsheets/depression_factsheet.html)
- Grigoriadis, S., & Robinson, G. (2007). Gender issues in depression. *Annals Of Clinical Psychiatry: Official Journal Of The American Academy Of Clinical Psychiatrists*, 19(4), 247-255
- Hedlung & Vieweg (1979). The Hamilton Rating Scale for Depression. *Journal of Operational Psychiatry*. 10, 149-165.
- Jefferson, A. L., & Powers, D. V. P., Michaela. (2000). Beck Depression Inventory-II (BDI-II) and the Geriatric Depression Scale (GDS) in Older Women. *Clinical Gerontologist*, 22(3/4).
- Kurlowicz, L., & Greenberg, S. (2007). The Geriatric Depression Scale (GDS). *Best Practices in Nursing Care to Older Adults*
- Li, MM, Friedman, B, Conwell, Y, Fiscella, K. Validity of the Patient Health Questionnaire 2 (PGQ-2) in Identifying Major Depression in Older People. (2007). *Journal of the American Geriatric Society*, 55,596-602
- Olin, J. T., Schneider, L. S., Eaton, E. M., Zemansky, M. F., & Pollock, V. E. (1992). The Geriatric Depression Scale and the Beck Depression Inventory as screening instruments in an older adult outpatient population. *Psychological Assessment*, 4(2), 190-192.
- Roman, M. W. and B. L. Callen (2008). "Screening instruments for older adult depressive disorders: Updating the evidence-based toolbox." *Issues in Mental Health Nursing* 29(9): 924-941.

# Assessment of Geriatric Depression References

Ros, L., Latorre, J. M., Aguilar, M. J., Serrano, J. P., Navarro, B., & Ricarte, J. J. (2011). Factor structure and psychometric properties of the center for epidemiologic studies depression scale (CES-D) in older populations with and without cognitive impairment. *International Journal Of Aging & Human Development, 72*(2), 83-110.

Yesavage, J.A., Brink, T.L., Rose, T.L., Lum, O., Huang, V., Adey, M.B., & Leirer, V.O. (1983). Development and validation of a geriatric depression screening scale: A preliminary report. *Journal of Psychiatric Research, 17*, 37-49.