

SAFETY DATA SHEET

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER: TRANSENE COMPANY, INC.
ADDRESS: DANVERS INDUSTRIAL PARK
10 ELECTRONICS AVENUE DANVERS, MA 01923,
TEL: (978) 777-7860 FAX: (978)-739-5640
WWW.TRANSENE.COM
EMERGENCY NO. 1-800-424-9300 CHEMTREC

MATERIAL NAME: **GOLD ETCHANT TYPE TFA**
REVISED: March 1, 2022

CHEMICAL FAMILY: 12 complex aqueous solution
Product Number: 060-0015000

SECTION 2. HEALTH HAZARD INFORMATION

Hazard Statements

H302 Acute toxicity Oral : Category 4
H316 Skin corrosion / Skin irritation : Category 3
H320 Serious eye damage / Eye irritation : Category 2B
H373 Special target organ systemic toxicity repeated exposure : Category 2
H402 Acute aquatic environmental hazards : Category 3

Pictograms or Hazard symbols



Signal Word: Warning
Harmful if swallowed.
Causes mild skin irritation.
Causes eye irritation.
Harmful to aquatic life.
May cause damage to endocrine or gastrointestinal system through prolonged or repeated exposure.

Precautionary Statements

P260 Do not breathe dusts or mist.
P264 Wash thoroughly after handling.
P270 Do not eat, drink, or smoke when using this product.
P273 Avoid release to the environment.
P301 + P312 If swallowed, call a physician if you feel unwell.
P305 + P351 + P338 If in eyes rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue using.
P314 Get medical advice/attention if you feel unwell.
P330 Rinse mouth.
P332 + P313 If skin irritation occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists, get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS

Material		Wt %
Iodine	CAS# 7553-562	2-2.1
Potassium Iodide	CAS# 7681-11-0	40-45
Water		51-58
Total		100

SECTION 4. FIRST AID MEASURES

EFFECTS OF OVEREXPOSURE

FIRST AID:

Eye Contact: Irritant to naked eye; in case of contact flush eyes well for 15 minutes, lifting the lower and upper eyelids occasionally.

Skin Contact: Obtain medical attention: Irritant to exposed skin. Flush skin well with water for 15 minutes, wash with soap and water. Remove affected clothing, get medical attention.

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration. Seek medical attention.

Ingestion: Give water or milk to drink. Induce vomiting if medical help is not immediately available. Never give anything by mouth to an unconscious person. Get Medical Attention immediately.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point and Method	Autoignition Temp.	Flammability Limits In Air	<u>LOWER</u>	<u>UPPER</u>
non-flammable	NA		NA	NA

Extinguishing media: Water spray or fog, carbon dioxide and dry chemical! anything suitable for surroundings Water may cause frothing! Wear chemically retardant gear and NIOSH approved

Special fire fighting procedures: self-contained breathing apparatus. Thermal decomposition produces toxic fumes. Contact with oxidizing reagents may cause extremely violent combustion.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SPILLS, LEAKS: Ventilate area of leak or spill. Clean up personnel should wear protective clothing and NIOSH approved respirator. Dike and cover the contaminated areas with sodium sulfite or sodium thiosulfite. Neutralize slurry with soda ash. Neutralized waste may be transferred to a closed container and sent to an approved waste disposal facility.

SECTION 7. HANDLING AND STORAGE

Storage & Handling Information Store between 0 and 60 °C in a dry place. Do not store near incompatible products or open flame. Store away from direct sunlight.

SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION

Respiratory protection: Wear NIOSH/MESA approved full or half face piece (with goggles) respiratory protective equipment to avoid exposure to iodine vapors above 0.1ppm. A respiratory protection program complying with requirements of 29CFR 1910.134 is recommended.

Ventilation: Where adequate ventilation is not available, use NIOSH approved vapor respirator with dust, fume and mist filters. Local ventilation through fume hoods or laminar flow stations is also preferred. Keep fumes away from strong bases.

Protective gloves: Skin contact should be minimized through use of rubber gloves.

Other protective equipment: Steel tipped shoes/eye wash station/chemical safety chemical retardant clothing.

Eye protection: Safety goggles / face shield

Exposure Information:

Iodine:

NIOSH REL: 0.1 ppm

MSHA Standard: 0.1 ppm (air)

OSHA PEL: 0.1 ppm

ACGIH-TLV: 0.01 ppm

ACGIH-STEL: 0.1 ppm

OSHA-SEL: 1 mg/m³

Potassium Iodide:

Not established

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form :Liquid

Appearance :

red brown

Odor :

mild odor.

pH :

6.5-8.0

Melting point:

-10 °C

Boiling point/Boiling range :

100-105 °C

Flash point :

N.A.

Ignition point :

Will not ignite.

Danger of explosion:

Product is not explosive

Decomposition temperature:

> 150 °C

Vapor density (Air = 1) :

N/A

Volatiles, %:

50-80

Vapor pressure at 15° C, mm Hg:

1

Specific gravity :

1.27-1.32 g/cc

Solubility in / Miscibility:

Completely miscible in water

Evap. Rate (Water = 1):

1

Propyl butyl-carbinol/moisture distribution coefficient : Aqueous solution

SECTION 10. STABILITY AND REACTIVITY

SECTION 13. DISPOSAL CONSIDERATIONS

DISPOSAL: Dispose of in accordance with all federal state and local regulations. Send waste to an approved waste disposal facility.

SECTION 14. TRANSPORTATION INFORMATION

UN/No : Non-regulated/non-restricted.

SECTION 15. REGULATORY

SARA Title III Hazard Classes:

Fire Hazard--No

Release of Pressure--No

Acute Health Hazard--No

SECTION 16. OTHER INFORMATION

NFPA Codes:

Health: 2

Flammability: 0

Reactivity: 0

Other: N/A

ADDENDUM TO MATERIAL SAFETY DATA SHEET

REGULATORY STATUS

THIS ADDENDUM MUST NOT BE
DETACHED
FROM THE MSDS ALUMINUM ETCH
TYPE D
IDENTIFIES SARA 313 SUBSTANCE(S)

Any copying or distribution of the MSDS must
include a copy of this addendum
(Chem.Key:PHACD)

HAZARD CATEGORIES FOR SARA

Section 311/312 Reporting

<u>Acute</u>	<u>Chronic</u>	<u>Fire</u>	<u>Pressure</u>	<u>Reactive</u>
X	X			X

Product or Components Of Products	SARA EHS Sect. 302	SARA Section 313 Chemicals	CERCLA Sec. 103	RCRA
	RQ (lbs.)	Name List	RQ (lbs.)	Section 261.33
	TPQ (lbs.)	Chemical Category		

SARA Section 302 EHS RQ: Reportable Quantity of Extremely Hazardous Substance, listed at 40 CFR 355.

SARA Section 302 EHS TPQ: Threshold Planning Quantity of Extremely Hazardous Substance. An asterisk (*) following a Threshold Planning Quantity signifies that if the material is a solid and has a particle size equal to or larger than 100 micrometers, the Threshold Planning Quantity + 10,000 LBS.

SARA Section 313 Chemicals: Toxic Substances subject to annual release reporting requirements listed at 40 CFR 372.65.

CERCLA Sec 103: Comprehensive Environmental Response, Compensation and Liability Act (Superfund). Releases to air, land or water of these hazardous substances which exceed the Reportable Quantity (RQ) must be reported to the National Response Center (800-424-8802); Listed at 40 CFR 302.4

RCRA: Resource Conservation and Reclamation Act. Commercial chemical product wastes designated as acute hazards and toxic under 40 CFR 261.33

Effective Date 11-1-02 Supersedes 9-5-85

IODINE