

How to Make the Playskin™ Air

Shirt Construction

1) Making the Shirt Short Sleeved

<ul style="list-style-type: none">- Cut off sleeves (*if not already short sleeve)	
<ul style="list-style-type: none">- Turn shirt inside out and fold edge of cut sleeve ¼” and pin	
<ul style="list-style-type: none">- Slowly sew removing pins as you go- Repeat on the other sleeve	

2) Shoulder Strap Loop

<ul style="list-style-type: none">- Cut strip of stiff mesh 1 inch wide and 2.5 inches long	
<ul style="list-style-type: none">- Fold in half and sew together	
<ul style="list-style-type: none">- Pin strap to center of shoulder seam	
<ul style="list-style-type: none">- Sew one side of strap to shirt then the other removing pin when finished	


3) Attaching Cover Fabric and Elastic to Garment

<ul style="list-style-type: none">- Place pattern on mesh and cut around	
<ul style="list-style-type: none">- Place cut mesh piece half-way up the side seam of shirt on the same side as shoulder loop then fold ¼ inch of mesh and pin	
<ul style="list-style-type: none">- Starting from the bottom, slowly sew down the fold removing pins as you go	

- Pin and top stitch up the side closest to center with a $\frac{1}{4}$ inch seam (leave 1.25 inch at the top)



- Cut 2 inch braided elastic (length: waist circumference + 4 inch) that fit with the waist circumference



- Pin the side closest to the back of the shirt with the top corner of the elastic 1 inch under the mesh and sew leaving 1.25 inch at the top

