

Planthoppers of Costa Rica and adjacent countries (Compiled by Handley, Laskowski and Bartlett) (draft July 10, 2013) (L = literature record.)

Species	Belize	Guatemala	El Salvador	Honduras	Nicaragua	Costa Rica	Panama
Acanaloniidae							
<i>Acanalonia affinis</i> Fowler, 1900			L				
<i>Acanalonia caelata</i> Fowler, 1900			L				
<i>Acanalonia conica</i> (Say, 1830); = <i>Acanalonia panimae</i> Fowler, 1			L				
<i>Acanalonia decens</i> Stal, 1864			L				
<i>Acanalonia delicatula</i> Fowler, 1900							L
<i>Acanalonia dubia</i> Fowler, 1900			L				
<i>Acanalonia excavata</i> Van Duzee, 1933					L		
<i>Acanalonia gaumeri</i> Fowler, 1900				L			
<i>Acanalonia inclinata</i> Melichar, 1901				L			
Achilidae							
<i>Abas unipunctatus</i> Fennah, 1950			L				
<i>Amblycratus fuscolineatus</i> (Fowler 1904)							L
<i>Amblycratus fuscus</i> Metcalf, 1938							L
<i>Apateson albomaculatum</i> Fowler, 1900		L		L	L		L
<i>Ateson marmoratum</i> Metcalf, 1938							L
<i>Catonia albidovariegata</i> (Fowler, 1904)			L				L
<i>Catonia bugabae</i> Fennah, 1950							L
<i>Catonia championi</i> Fennah, 1950			L				L
<i>Catonia chiriquensis</i> (Fowler, 1904)							L
<i>Catonia sancti-geronimi</i> Fennah, 1950			L				
<i>Catonia sobrina</i> (Fowler, 1904)			L				L
<i>Catonia zunilana</i> Fennah, 1950			L				
<i>Catonoides fusca</i> Metcalf, 1938							L
<i>Elidiptera callosa</i> Metcalf, 1922							L
<i>Kardopocephalus lineatus</i> Metcalf, 1938		L					
<i>Koloptera breviceps</i> Fennah, 1965							L
<i>Koloptera callosa</i> Metcalf, 1938							L
<i>Momar lineaticollis</i> (Fowler, 1904)							L
<i>Myconus uniformis</i> Metcalf, 1938							L
<i>Plectoderella scapularis</i> Metcalf, 1938		L					
<i>Plectoderes collaris</i> Coquebert, 1901							L
<i>Plectoderes flavovittatus</i> Fowler, 1904							L
<i>Plectoringa excelsa</i> (Fowler, 1904)			L				
<i>Pseudhelicoptera nasuta</i> Fowler, 1904							L
<i>Rhinocolura championi</i> (Fowler, 1904)			L				
<i>Rhotala ambigua</i> Fowler, 1905							L
<i>Rhotella punctata</i> (Metcalf, 1938)		L					
<i>Rupex asper</i> (Fowler, 1904)							L
<i>Sevia fusca</i> Metcalf, 1938							L
<i>Sevia lutespersa</i> Fennah, 1945							L
<i>Spino cretaceous</i> Fennah 1950							L
<i>Spino notatus</i> (Fowler, 1904)							L
<i>Symplegadella irrorata</i> Fennah, 1950			L				
Achilixiidae							
<i>Muirilixius banksi</i> (Metcalf, 1938)							L
Caliscelidae							
<i>Bruchomorpha costaricensis</i> (Schmidt, 1927)						L	
<i>Plagiopsola strandi</i> Schmidt, 1927							
Cixiidae							
<i>Bothriocera basalis</i> (Metcalf, 1938)							L
<i>Bothriocera halzingeri</i> O'Brien, 2006							L
<i>Bothriocera venosa</i> (Fowler, 1904)			L				
<i>Cubana castaneus</i> (Fowler, 1904)							L
<i>Cubana variegatus</i> (Fowler, 1904)			L				
<i>Cyclopoliarus omani</i> (Metcalf, 1938)							L
<i>Microledrida virida</i> (Caldwell 1944)			L				
<i>Mnemosynia flavicollis</i> (Van Stalle, 1989)							L
<i>Muirolonia metallicus</i> (Fowler, 1904)							L
<i>Noabennarella costaricensis</i> Holzinger, 2006							
<i>Oecleus addendus</i> (Fowler, 1904)			L				
<i>Oecleus cephalicus</i> (Caldwell, 1944)				L			
<i>Oecleus dubius</i> (Caldwell, 1944)			L				
<i>Oecleus spatulatus</i> (Caldwell, 1944)			L				
<i>Oliarus chiriquiensis</i> (Fowler, 1904)							L
<i>Oliarus humeralis</i> (Fowler, 1904)			L				
<i>Oliarus insignior</i> (Fowler, 1904)			L				L
<i>Oliarus lacteipennis</i> (Fowler, 1904)							L
<i>Paracixius armiger</i> (Fennah, 1944)							L
<i>Paramyndus akko</i> (Kramer, 1979)		L			L	L	L

Planthoppers of Costa Rica and adjacent countries (Compiled by Handley, Laskowski and Bartlett) (draft July 10, 2013) (L = literature record.

Species	Belize	Guatemala	El Salvador	Honduras	Nicaragua	Costa Rica	Panama
<i>Metadelphax wetmorei</i> (Muir & Giffard, 1924)					E		
<i>Neoperkinsiella testacea</i> (Fowler, 1905)		L					L
<i>Nilaparvata caldwelli</i> Metcalf, 1955	L					S	
<i>Nilaparvata gerhardi</i> (Metcalf, 1923)		?					
<i>Nilaparvata serrata</i> Caldwell, 1951	L				L	L, S	
<i>Nilaparvata wolcottii</i> Muir and Giffard, 1924						S	
<i>Nothodelphax slossonae</i> (Ball, 1903)	L						
<i>Pareuidella</i> n sp	S					S	
<i>Pareuidella magnistyla</i> (Crawford, 1914)							S
<i>Peregrinus maidis</i> (Ashmead, 1890)	S	L			L	L, S	L, S
<i>Perkinsiella saccharicida</i> Kirkaldy, 1903						S	
<i>Phrictopyga contorta</i> (Muir, 1926)						S	
<i>Pissonotus abdominalis</i> (Crawford, 1914)	L			L	L	L	
<i>Pissonotus albivultus</i> Morgan and Beamer, 1949	L	L		L	L	L, S	S
<i>Pissonotus decussatus</i> Bartlett, 2000		L					
<i>Pissonotus muiri</i> Metcalf, 1943	L	L	L	L	L	L	L
<i>Pissonotus piceus</i> (Van Duzee, 1894)	L			L	L	L, S	L
<i>Pygospina aurantii</i> (Crawford, 1914)		L					
<i>Pygospina spinata</i> Caldwell, 1951						S	S
<i>Sogatella kolophon</i> (Kirkaldy, 1907)	S	S				S	
<i>Sogatella molina</i> (Fennah, 1963)	S						
<i>Stobaera azteca</i> Muir, 1913		L			L, S	S	
<i>Stobaera granulosa</i> (Fowler, 1905)		L					
<i>Stobaera koebeli</i> Muir, 1913		L					
<i>Stobaera tricarinata</i> (Say, 1825)		E			E		
<i>Syndelphax humilis</i> (Van Duzee, 1907)	S				S		S
<i>Syndelphax nigripennis</i> (Crawford, 1914)					S		
<i>Tagosodes albolineosus</i> (Fowler, 1905)					S		
<i>Tagosodes approximatus</i> (Crawford, 1914)	S				L, S	S	
<i>Tagosodes cubanus</i> (Crawford, 1914)	S				S	S	S
<i>Tagosodes orizicolus</i> (Muir, 1926)		S	S	S		S	S
<i>Tagosodes wallacei</i> (Muir and Giffard, 1924)	S			?		S	
<i>Toya idonea</i> (Beamer, 1947)	L	L		L			L
<i>Toya nigra</i> (Crawford, 1914)	L	S				L	L
Derbidae							
<i>Euides braziliensis</i>		S				S	
<i>Euides fasciatella</i> (Osborn, 1935)						S	
<i>Euides grossa</i> (Van Duzee, 1933)							
<i>Euides magistyla</i>						S	
<i>Kormus apicimaculatus</i> (Fowler, 1905)							
<i>Liburnia paludata</i> Fowler, 1905							
<i>Matutinus fuscipennis</i> (Muir, 1919)				S		S	
<i>Megamelus iphigeniae</i> Muir, 1926							S
<i>Metadelphax propinqua</i> (Fieber, 1866)						S	
<i>Neomalaxa flava</i> Muir, 1918							
<i>Neoperkinsiella testacea</i> (Fowler, 1905)						S	
<i>Nilaparvata gerhardi</i> (Metcalf, 1923)							
<i>Nilaparvata serrata</i> Caldwell, 1951						S	
<i>Pentagramma bivittata</i> Crawford, 1914					L	S	
<i>Peregrinus maidis</i> (Ashmead, 1890)		S		S		S	
<i>Pissonotus abdominalis</i> (Crawford, 1914)							
<i>Pissonotus albivultus</i> Morgan and Beamer, 1949							
<i>Pissonotus decussatus</i> Bartlett, 2000							
<i>Pissonotus muiri</i> Metcalf, 1943		S				S	
<i>Pissonotus piceus</i> (Van Duzee, 1894)							
<i>Pygospina aurantii</i> (Crawford, 1914)							
<i>Saccharosydne ornatipennis</i> Muir, 1926							
<i>Saccharosydne saccharivora</i> (Westwood, 1833)							
<i>Stobaera azteca</i> Muir, 1913				S			
<i>Stobaera granulosa</i> (Fowler, 1905)				S			
<i>Stobaera koebeli</i> Muir, 1913							
<i>Stobaera tricarinata</i> (Say, 1825)							
<i>Tagosodes albolineosus</i> (Fowler, 1905)							
<i>Tagosodes approximatus</i> (Crawford, 1914)							
<i>Tagosodes orizicolus</i> (Muir, 1926)						S	
<i>Tagosodes wallacei</i> (Muir and Giffard, 1924)							S
<i>Toya iaxartes</i> (Fennah, 1959)							
<i>Toya idonea</i> (Beamer, 1947)							
<i>Toya nigra</i> (Crawford, 1914)							
<i>Ugyops brunneus</i> (Fowler, 1905)							L
<i>Ugyops godmani</i> (Fowler, 1905)							L

Planthoppers of Costa Rica and adjacent countries (Compiled by Handley, Laskowski and Bartlett) (draft July 10, 2013) (L = literature record)

Species	Belize	Guatemala	El Salvador	Honduras	Nicaragua	Costa Rica	Panama
<i>Ugyops palliatus</i> Fennah, 1964							L
<i>Ugyops stigmata</i> (Crawford, 1914)				L		S	
<i>Anotia invalida</i> (Fowler, 1905)		L					L
<i>Anotia marginicornis</i> (Fowler, 1905)		L					
<i>Anotia punctata</i> (Metcalf, 1938)							L
<i>Anotia rubescens</i> (Fowler, 1905)							L
<i>Anotia venustus</i> (Fowler, 1905)		L					L
<i>Apache interruptus</i> (Fowler, 1905)		L					
<i>Apache venustus</i> (Fowler, 1905)		L					L
<i>Cedochrea costaricana</i> (Emelyanov, 1996)						L	
<i>Cedochrea quixoa</i> (Kramer, 1986)						L	L
<i>Cedusa albolineata</i> (Fennah, 1952)							L
<i>Cedusa andara</i> (Kramer, 1986)							L
<i>Cedusa australis</i> (Metcalf, 1923)				L			L
<i>Cedusa belma</i> (Kramer, 1986)							
<i>Cedusa blantoni</i> (F & K, 1983)							
<i>Cedusa carranzensis</i> (Caldwell, 1944)	L	L					
<i>Cedusa carropia</i> (Kramer, 1986)							L
<i>Cedusa catasia</i> (Kramer, 1986)							
<i>Cedusa costaricensis</i> (F & K, 1983)						L	
<i>Cedusa dampfi</i> (Caldwell, 1944)							L
<i>Cedusa delongi</i> (Caldwell, 1944)		L	L		L		L
<i>Cedusa dietzi</i> (F & K, 1983)							L
<i>Cedusa digitata</i> (Caldwell, 1944)	L						
<i>Cedusa dilbata</i> (Kramer, 1986)							L
<i>Cedusa drilda</i> (Kramer, 1986)		L					
<i>Cedusa edox</i> (Kramer, 1986)							L
<i>Cedusa enosala</i> (Kramer, 1986)							L
<i>Cedusa febori</i> (Kramer, 1986)							L
<i>Cedusa fowleri</i> (F & K, 1983)		L	L		L	L	L
<i>Cedusa furcata</i> (Caldwell, 1944)	L	L					L
<i>Cedusa gonuga</i> (Kramer, 1986)							L
<i>Cedusa hampora</i> (Kramer, 1986)							L
<i>Cedusa impada</i> (Kramer, 1986)							L
<i>Cedusa isthmusensis</i> (F & K, 1983)							L
<i>Cedusa janola</i> (Kramer, 1986)						L	L
<i>Cedusa kinoxa</i> (Kramer, 1986)							L
<i>Cedusa lumeda</i> (Kramer, 1986)							L
<i>Cedusa maculata</i> (Van Duzee, 1912)				L		L	
<i>Cedusa mallochi</i> (McAtee, 1924)				L			
<i>Cedusa marlota</i> (Kramer, 1986)							L
<i>Cedusa medusa</i> (McAtee, 1924)	L			L			
<i>Cedusa mexicana</i> (Caldwell, 1944)			L	L			
<i>Cedusa muiri</i> (F & K, 1983)						L	
<i>Cedusa nedusa</i> (Caldwell, 1944)	L			L			
<i>Cedusa neodigitata</i> (Caldwell, 1944)					L	L	
<i>Cedusa nortoma</i> (Kramer, 1986)							L
<i>Cedusa olasca</i> (Kramer, 1986)							L
<i>Cedusa panamensis</i> (F & K, 1983)							L
<i>Cedusa pedusa</i> (McAtee, 1924)	L	L		L		L	L
<i>Cedusa pipsewa</i> (Kramer, 1986)							L
<i>Cedusa plummeri</i> (Caldwell, 1944)						L	
<i>Cedusa poochia</i> (Kramer, 1986)						L	
<i>Cedusa pseudomaculata</i> (Caldwell, 1944)		L					
<i>Cedusa reota</i> (Kramer, 1986)							L
<i>Cedusa rubriventris</i> Fennah, 1945							L
<i>Cedusa senbara</i> (Kramer, 1986)							L
<i>Cedusa tincta</i> (Caldwell, 1944)	L						
<i>Cedusa tropicalis</i> Caldwell, 1944		L				L	L
<i>Cedusa tuvaga</i> (Kramer, 1986)							L
<i>Cedusa unsera</i> (Kramer, 1986)							L
<i>Cedusa vidola</i> (Kramer, 1986)							L
<i>Cedusa whitei</i> (F & K, 1983)	L	L					
<i>Cedusa wontila</i> (Kramer, 1986)							L
<i>Cedusa woodyga</i> (Kramer, 1986)							L
<i>Cedusa xipola</i> (Kramer, 1986)							L
<i>Cedusa yowza</i> (Kramer, 1986)							L
<i>Cedusa zantata</i> (Kramer, 1986)							L
<i>Cedusa zeteki</i> (F & K, 1983)							L
<i>Cobacella rubescens</i> (Fowler, 1905)							L
<i>Contigucephalus rubraenosus</i> (Caldwell, 1944)							L

Planthoppers of Costa Rica and adjacent countries (Compiled by Handley, Laskowski and Bartlett) (draft July 10, 2013) (L = literature record)

Species	Belize	Guatemala	El Salvador	Honduras	Nicaragua	Costa Rica	Panama
<i>Derbe buscki</i> (Metcalf, 1938)							L
<i>Derbe championi</i> (Muir, 1918)							L
<i>Derbe currani</i> (Metcalf, 1929)							L
<i>Derbe fowleri</i> (Muir, 1918)		L					
<i>Derbe longitudinalis</i> (Distant, 1907)	L						
<i>Derbe muiri</i> (Metcalf, 1938)							L
<i>Derbe westwoodi</i> (Fowler, 1900)		L					
<i>Dysimia obrieni</i> (Broomfield, 1985)						L	
<i>Heronax elatior</i> (Fowler, 1905)							L
<i>Herpis albida</i> (Metcalf, 1938)							L
<i>Herpis chiriquirensis</i> (Fowler, 1905)							L
<i>Herpis delicata</i> (Fowler, 1905)		L					
<i>Herpis fusca</i> (Metcalf, 1938)							L
<i>Herpis metcalfi</i> (O' Brien, 1987)							L
<i>Mysidia acidalioides</i> (Fowler, 1900)	L						L
<i>Mysidia bibula</i> (Broomfield, 1985)							L
<i>Mysidia distanti</i> (Broomfield, 1985)	L			L			
<i>Mysidia dollingi</i> (Broomfield, 1985)							L
<i>Mysidia douglasi</i> (Broomfield, 1985)							L
<i>Mysidia fasciata</i> (Metcalf, 1938)							L
<i>Mysidia fowleri</i> (Broomfield, 1985)							L
<i>Mysidia fuscofrontalis</i> (Broomfield, 1985)							L
<i>Mysidia fuscomaculata</i> (Broomfield, 1985)							L
<i>Mysidia grandis</i> (Broomfield, 1985)							L
<i>Mysidia insolita</i> (Broomfield, 1985)				L			
<i>Mysidia krameri</i> (Broomfield, 1985)							L
<i>Mysidia maculicosta</i> (Fowler, 1900)		L					
<i>Mysidia minerva</i> (Broomfield, 1985)	L						
<i>Mysidia nebulosa</i> (Germar, 1930)				L		L	L
<i>Mysidia nigrifrontalis</i> (Broomfield, 1985)							L
<i>Mysidia obscura</i> (Metcalf, 1938)							L
<i>Mysidia pallescens</i> (Metcalf, 1938)							L
<i>Mysidia pallida</i> (Fabricius 1803)							
<i>Mysidia panamensis</i> (Broomfield, 1985)							L
<i>Mysidia parviceps</i> Fowler, 1900	L	L		L			
<i>Mysidia punctifera</i> (Metcalf, 1938)							L
<i>Mysidia punctum</i> (Fabricius, 1803)							
<i>Mysidia rubra</i> Metcalf, 1945							L
<i>Mysidia squamigera</i> (Fabricius, 1803)							
<i>Mysidia subfusca</i> (Metcalf, 1938)							L
<i>Mysidia testacea</i> (Fabricius, 1803)							
<i>Neocenchrea pallida</i> (Metcalf, 1938)							L
<i>Neodawnaria hondurensis</i> (O' Brien, 1982)				L			
<i>Neodawnaria woldai</i> (O' Brien, 1982)							L
<i>Omolichna anastomosis</i> (Caldwell, 1944)		L					
<i>Omolichna brunnea</i> (McAtee, 1924)		L					L
<i>Omolichna fulva</i> (VanDuzee, 1909)							L
<i>Omolichna fuscus</i> (Metcalf, 1938)							L
<i>Omolichna triata</i> (Caldwell, 1944)	L						
<i>Oropuna minutianus</i> (Caldwell, 1944)		L					
<i>Otiocerus breviceps</i> (Fowler, 1905)							L
<i>Paramysidia barbara</i> (Broomfield, 1985)			L	L		L	
<i>Paramysidia boudica</i> (Broomfield, 1985)							L
<i>Paramysidia nigropunctata</i> (Broomfield, 1985)					L	L	L
<i>Paramysidia tessellata</i> (Broomfield, 1985)						L	
<i>Patara marmorata</i> (Fowler, 1905)		L					
<i>Persis pallescens</i> (Metcalf, 1938)							L
<i>Phaciocephalus anastomosis</i> (Caldwell, 1944)		L					
<i>Phaciocephalus flavipennis</i> (Caldwell, 1944)		L					
<i>Phaciocephalus quadrispinosus</i> (Caldwell, 1944)		L					
<i>Phaciocephalus triatus</i> (Caldwell, 1944)	L						
<i>Platanox maculata</i> (Metcalf, 1938)							L
<i>Pseudomysidia debora</i> (Broomfield, 1985)						L	
<i>Pseudomysidia fuscovaria</i> (Metcalf, 1938)							L
<i>Pseudomysidia hindore</i> (Broomfield, 1985)							L
<i>Pseudomysidia juliana</i> (Broomfield, 1985)							L
<i>Pseudomysidia marshalli</i> (Broomfield, 1985)						L	
<i>Pseudomysidia palmeri</i> (Broomfield, 1985)							L
<i>Pseudomysidia panamensis</i> (Broomfield, 1985)							L
<i>Pseudomysidia similis</i> (Broomfield, 1985)						L	
<i>Shellenius gracilior</i> (Fowler, 1905)		L					

Planthoppers of Costa Rica and adjacent countries (Compiled by Handley, Laskowski and Bartlett) (draft July 10, 2013) (L = literature record)

Species	Belize	Guatemala	El Salvador	Honduras	Nicaragua	Costa Rica	Panama
<i>Shellenius montanus</i> (Fowler, 1905)							L
Dictyopharidae							
<i>Cladodiptera bugabensis</i> (Fowler, 1905)							L
<i>Cladodiptera interlita</i> (Distant, 1907)							L
<i>Dictyophara tumidifrons</i> Walker, 1858							L
<i>Dictyopharoides tenuirostris</i> (Fowler, 1905)							L
<i>Hyalodictyon brachyrhina</i> (Walker, 1858)		L					L
<i>Hyalodictyon bugabae</i> (Fennah, 1947)							L
<i>Hyalodictyon centraliamericanum</i> (Fennah, 1947)		L					
<i>Hyalodictyon metcalfi</i> (O'Brien, 1987)							L
<i>Hyalodictyon platyrhina</i> (Walker, 1858)							L
<i>Hyalodictyon teapanum</i> (Fennah, 1947)							L
<i>Hyalodictyon truncatum</i> (Walker, 1858)							L
<i>Lappida chlorochroma</i> (Walker, 1858)		L		L			L
<i>Lappida ferocula</i> (Distant, 1907)						L	L
<i>Lappida fusca</i> (Metcalf, 1938)							L
<i>Lappida gracilis</i> (Melichar)					L		
<i>Lappida instabilis</i> (Melichar)							L
<i>Lappida longirostris</i> (Schmidt)							L
<i>Lappida metchroma</i> (O'Brien, 1987)							L
<i>Lappida rubella</i> Melichar, 1912						L	
<i>Lappida rubrovitta</i> (Metcalf, 1938)							L
<i>Lappida tumidifrons</i> (Walker, 1858)							L
<i>Mitrops noctividus</i> (Fennah, 1944)							
Flatidae							
<i>Adexia erminia</i> (Fowler, 1905)						L	L
<i>Adexia melanoneura</i> (Melichar)						L	
<i>Anormenis discus</i> (Walker, 1858)							L
<i>Anormenis metdiscus</i> (Walker, 1858)							L
<i>Anormenis nigrolimbata</i> (Fowler, 1905)							L
<i>Anormenis tortricina</i> (Germar)				L			
<i>Carthaeomorpha rufipes</i> (Melichar)							L
<i>Carthaeomorpha rufocinctata</i> (Fowler, 1900)						L	L
<i>Cryptoflata pulverulenta</i> (Fennah, 1961)							
<i>Deocerus nietoi</i> (Fowler, 1905)		L					L
<i>Doriana conspersa</i> (Walker, 1858)							L
<i>Flatormenis panamensis</i> (Schmidt)							L
<i>Flatormenis squamulosa</i> (Fowler, 1905)		L					
<i>Hesperophantia championi</i> (Fowler, 1905)							L
<i>Metcarcis metcalfi</i> (O'Brien, 1987)							L
<i>Metcracis lauta</i> (Medler, 1993)							L
<i>Metcracis leucophaea</i> (Medler, 1993)							L
<i>Monoflata banksi</i> (Metcalf, 1938)							L
<i>Paracromna rotundior</i> (Fowler, 1905)		L					
<i>Pseudoflatoides metabliqua</i> (O'Brien, 1987)							L
Issidae							
<i>Amphiscepa subpellucida</i> Fowler, 1904		L					
<i>Dracela acuta</i> (Metcalf, 1938)						L	L
<i>Issomorpha procius</i> Melichar, 1906						L	
<i>Paralixes intermedius</i> (Fowler, 1904)		L					
<i>Paralixes scutatus</i> (Walker, 1858)		L					
<i>Picumna mexicana</i> Stal, 1864							
<i>Picumna ovatipennis</i> (Walker, 1858)		L					L
<i>Picumna subratundata</i> (Fowler, 1904)							L
<i>Picumna testacea</i> Metcalf, 1938							L
<i>Picumna varians</i> Stal, 1864		L					L
<i>Thionia brevior</i> Fowler, 1904							L
<i>Thionia carinata</i> Melichar, 1906				L	L		L
<i>Thionia caviceps</i> Fowler, 1905							L
<i>Thionia coriacea</i> (Fabricius, 1803)							L
<i>Thionia fowleri</i> Metcalf, 1938		L					
<i>Thionia maculipes</i> Stal, 1864							L
<i>Thionia mexicana</i> Melichar, 1906							L
<i>Thionia schmidtii</i> Schmidt, 1910						L	
<i>Thionia soluta</i> Fowler, 1905							L
<i>Thionia stipes</i> Fowler, 1905							L
<i>Thionia truncatella</i> Melichar, 1906							L
<i>Thionia variegata</i> Stal, 1864		L					L
<i>Thioniamorpha marmorata</i> Metcalf, 1938							L
<i>Thioniella rugosa</i> Metcalf, 1938							L
<i>Ulixes cassidoides</i> (Walker, 1858)	L	L					L

Planthoppers of Costa Rica and adjacent countries (Compiled by Handley, Laskowski and Bartlett) (draft July 10, 2013) (L = literature record)

Species	Belize	Guatemala	El Salvador	Honduras	Nicaragua	Costa Rica	Panama
Lophopidae							
<i>Carrionia panamensis</i> (O'Brien, 1987)							L
Nogodinidae							
<i>Biolleyana costalis</i> (Fowler, 1900)					L	L	L
<i>Biolleyana fenestra</i> (Gerstaecker, 1895)				L			L
<i>Biolleyana pictifrons</i> (Stal, 1864)		L		L			L
<i>Bladina fowleri</i> (Fennah, 1952)	S,L	L	L	L	L	L	
<i>Bladina gatunensis</i> (Kramer, 1976)							L
<i>Colpoptera marginalis</i> (Burmeister, 1835)							L
<i>Colpoptera sinuata</i> (Burmeister, 1835)		L				L	L
<i>Nogodina reticulata</i> (Fabricius, 1803)				L			L
<i>Vutina atrata</i> (Fabricius, 1803)							L
<i>Vutina bicpunctata</i> (Metcalf, 1938)							L
Ricaniidae							
<i>Semestra bugabensis</i> (Fowler, 1900)							L
<i>Semestra costaricensis</i> (Jacobi, 1916)						L	
Tropiduchidae							
<i>Amapala ornata</i> (Melichar, 1914)		L		L			
<i>Amapala temulenta</i> (Melichar, 1914)					L		
<i>Arenasella fowleriana</i> (Kirkaldy, 1907)		L					
<i>Neorudia proxima</i> (Fowler, 1904)		L				L	L
<i>Rotunosa intermedia</i> (Muir, 1931)				L			
<i>Rotunosa orbiculata</i> (Distant, 1900)		L					
<i>Ubis verticalis</i> (Fowler, 1904)		L					
<i>Vanuoides pallescens</i> (Metcalf, 1938)							L