Truth, Subderivations and the Liar Why Should I Care about the Car

Why Should I Care about the Liar Sentence?

1/41

Truth, Subderivations and the Liar

Why Should I Care about the Liar Sentence? Uses of the

Uses of the Truth Concept (ii) Challenging

> rmalization of e Main tuition.

Main Technic Results.

Outline

Truth, Subderivations and the Liar

- 1. Why Should I Care about the Liar Sentence?
- 2. Uses of the Truth Concept (i) Disquotation.
- 3. Uses of the Truth Concept (ii) Challenging Assumptions.
- 4. Formalization of the Main Intuition.
- 5. Main Technical Results.

2/41

Traffsond Straffsond Straffsond

The Collapse of Logic.

Truth, Subderivation: and the Liar

Why Should I Care about the Liar Sentence?

- Using the principles of logic alone, we have argued that L is both true and false; i.e., $L\&\neg L$.
- (Aristotle) In classical logic, anything follows from a contradiction.
- To see why *L* is true. So

L or Santa Claus exists

is true.

• But L is also false. And from

L or Santa Claus exists

and

L is false,

it follows that Santa Claus exists.

5 / 41

Truth, Subderivations and the Liar

Why Should I Care about the Liar Sentence?

Trut Subderiv and the

- So using only the principles of logic, we can prove anything.
- But the whole point of logic was to provide tools for distinguishing things that we are entitled to assert or infer from things we aren't entitled to assert or infer.
- \bullet So unless something we have said is wrong, the whole project of logic collapses.

A Quick Solution? (i)

Truth, Subderivations and the Liar

Why Should I Care about the Liar Sentence? Uses of the Truth Concept -(i) Disquotation.

iruth Concept i) Challenging ssumptions. ormalization of

Formalization of the Main Intuition. Main Technical Results.

• Our reasoning presupposes that the Liar sentence is true or false: If it is true, then it is false. So it can't be true. Thus, it is false.

• But perhaps some sentences (such as *L*) are neither true nor false.

• <u>Difficulty</u> : So we are rejecting the claim	
L or $\neg L$.	
 Presumably this means that we are endorsing 	
$\neg(L \text{ or } \neg L).$	
• But in classical logic, this is equivalent to	
$\neg L \& \neg \neg L.$	
• And so we still have a contradiction.	
• So if we want to take this approach, we have to revise classical logic quite deeply. This requires care.	

A Quick Solution? (i)

A Quick Solution? (ii)

Truth, Subderivations and the Liar

Why Should I Care about the Liar Sentence? Uses of the Truth Concept -(i) Disquotation Uses of the Truth Concept -(ii) Challenging Assumptions. Formalization of

lain Technica esults. • Is the Liar Sentence really a grammatical sentence? If not, we don't have to worry about it.

- **Response 1:** There are versions of the Liar that are not *manifestly* self-referential. For example:
- The topmost sentence written on the blackboard in my office is false.
- Does whether a sentence is grammatical really depend on where it is or isn't written?

A Quick Solution? (ii)

Truth, Subderivation: and the Liar

Why Should I

Care about the Liar Sentence? • **Response 2:** One can explicitly construct mathematical analogs of the Liar.

- Take the first-order language of arithmetic ({0,',+,×}) and add a one-place predicate $\mathcal{T}(\cdot).$
- Then one can construct a sentence L in this language such that

$$\mathbf{PA} \vdash L \leftrightarrow \neg T(\ulcorner L \urcorner)$$

- On what grounds could we say that *L* is ungrammatical?
- Given the difficulty of these challenges, we follow the modern tradition that takes grammatical Liar sentences to really exist.

9/41

Truth, Subderivations and the Liar

Why Should I Care about the Liar Sentence? Uses of the Truth Concept -(i) Disguotation.


lses of the ruth Concept i) Challenging ssumptions.

ormalization ol e Main tuition.



• It follows that some part of logic (as it is traditionally understood) or the way in which we understand the concept of truth must be revised.

• Here, there is no consensus.



Uses of the Truth Concept - (i) Disquotation.

Truth, Subderivation: and the Liar

Uses of the Truth Concept

(i) Disquotatio

- What is the utility of the concept of truth?
- (Tarski, Quine) We use the concept of truth to endorse sentences / endorse descriptions of sentences.
- One use of the truth concept 'disquotational'

'Grass is green' is true.

• Another use - to endorse a sentence under a description:

'What John said was probably true.'

(Note: maybe the speaker doesn't even know what John said)

 $(\exists s)$ (John-just-said(s) & Probably(True(s))).

13 / 41

Truth, Subderivations and the Liar

Vhy Should I Care about the iar Sentence?

Uses of the Truth Concept (ii) Challenging Assumptions.

Uses of the Truth Concept - (ii) Challenging Assumptions.

Uses of the Truth Concept - (i) Disquotation.

Subderivations and the Liar

Uses of the

Truth Concept

(i) Disquotatio

• In order for the concept of truth to be usuble in this way, we need to endorse something like the T-schema

for any proposition p, $T(\ulcornerp\urcorner) \leftrightarrow p$.


• This means we must endorse

 $T(\ulcorner L \urcorner) \leftrightarrow L.$

which gets us into trouble.

• I would like to argue that the concept of truth is used in other ways, and that realizing this offers us another way out.

14 / 41



Truth, Subderivations and the Liar

Jses of the

Truth Concept (ii) Challenging • I want to point out a different use of the truth concept in *challenging assumptions.*

Imagine a prosecutor arguing:

Suppose John was in the park at 5pm. Then he would have had access to a weapon, He would have had ample opportunity to kill the victim,

He should be convicted.

John's lawyer retorts:

But suppose it's not true that John was in the park at 5pm ...

Uses of the Truth Concept - (ii) Challenging Assumptions.

Truth, Subderivation and the Liar


Uses of the Truth Concept

(ii) Challenging

ssumptions.

But suppose it's not true that John was in the park at 5pm ...

• This could be read in two ways:



• Surely the second reading is correct.

17 / 41

Uses of the Truth Concept - (ii) Challenging Assumptions.

- Truth, Subderivation and the Liar • To make a supposition of the form $\neg T(X)$ is to *challenge* /

Uses of the Truth Concept (ii) Challenging sumption

- distance oneself from any assumption to the contrary. • This act of challenging cannot be done *within* such any
- subderivation governed by assumption to the contrary, but must be done outside any such subderivation.
- In this way, the truth predicate plays a role in managing the movement between the various subderivations, sub-sub-derivations, etc., in an argument.
- I take this to be part of the grammar of the truth predicate.
- Caveat This doesn't seem like an inviolable rule of grammar how damaging that is for the subsequent claims needs to be assessed.

Uses of the Truth Concept - (ii) Challenging Assumptions.

Truth, Subderivation and the Liar

Uses of the

Truth Concept

(ii) Challenging


Truth, and the Liar

Uses of the

Truth Concept (ii) Challenging

sumption

General Claim 1: If X is supposed, then $\neg T(X)$ is supposed, this must be read in the second way shown below rather than the first way shown below.



Х $\neg T(X)$

18/41

Uses of the Truth Concept - (ii) Challenging Assumptions. • Let us push this idea a little further. Consider the argument: Suppose John was in the park at 5pm. He should be convicted. John's lawyer retorts: But suppose it's not true that John was anywhere near the park all day ... • Again, this should be seen as John's lawyer *challenging* the

prosecutor's assumption and starting a new subderivation.

Uses of the Truth Concept - (ii) Challenging Assumptions.


Truth, Subderivations and the Liar


Uses of the Truth Concept

(ii) Challenging

ssumptions

General Claim 2: If X is supposed, then $\neg T(Y)$ is supposed, then if X is incompatible with $\neg Y$ this *must* be read as a new subderivation, rather than a new sub-sub derivation.





21 / 41

Uses of the Truth Concept - (ii) Challenging Assumptions.

Truth, Subderivations and the Liar

Uses of the Truth Concept

(ii) Challenging

Uses of the

Truth Concept (ii) Challenging • Let us push this idea even further. Consider the argument:

Suppose John was in the park at 5pm.

He should be convicted.

John's lawyer retorts:

But suppose John hadn't received the invitation in question

Then it wouldn't have been true that John was anywhere near the park that day

• The structure here is a little more complex - I maintain that this too should be seen as John's lawyer *challenging* the prosecutor's assumption in a new subderivation.


22 / 41




• Structure: where X is incompatible with $\neg Y$, we have



Truth, Subderivation and the Liar



• Intuition: even *deriving* $\neg T(Y)$ (rather than just assuming it) amounts to a rejection of the subderivation governed by X.



General Claim 3: If X is supposed, then some Z is supposed and $\neg T(Y)$ derived, then if X is incompatible with $\neg Y$ this *must* be read as a new subderivation, rather than a new sub-sub derivation.

Uses of the Truth Concept - (ii) Challenging Assumptions.

Truth, Subderivations and the Liar

Uses of the Truth Concept

(ii) Challenging Assumptions. There is also a dual set of intuitions about $\neg X$ being supposed, and then T(Y) being supposed. So consider the following dialogue:

• The lawyer argues:

...

Suppose John wasn't anywhere near the park at the time.

He shouldn't be convicted.

The prosecutor retorts:

But suppose it's true that John was in the park at 5pm ...

• This should be seen as the prosecutor *challenging* the lawyer's assumption and starting a new subderivation.

Formalization of the Main Intuition.

25 / 41

Truth.

Subderivations and the Liar

Why Should I Care about the Liar Sentence?

i) Disquotation Ises of the ruth Concept -

Assumptions. Formalization o the Main Intuition.

Main Techni

Uses of the Truth Concept - (ii) Challenging Assumptions.





General Claim 4: If $\neg X$ is supposed, then some Z is supposed and T(Y) derived, then if $\neg X$ is incompatible with Y this *must* be read as a new subderivation, rather than a new sub-sub derivation.


26 / 41

Formalization of the Main Intuition.

Truth, Subderivations and the Liar

Formalization of the Main Intuition.

• In order to formalize our main idea and see what its consequences are, we use a different style of natural deduction, in which proofs look like *trees*:



• The conclusion (in this case, I), is at the bottom of the tree, and the leaves (in this case, A, C, E and F), are either premises or assumptions to be discharged.

 \bullet Each sentence on the tree follows from the sentence(s) immediately above it by one of the basic rules of inference.

Formalization of the Main Intuition.

Truth, Subderivations and the Liar

Formalizatio

the Main Intuition.

- The basic logical symbols are \perp , \supset , &, T and \forall .
 - The negation symbol $\neg A$ is defined as $A \supset \bot$, Disjunction $A \lor B$ is defined as $(\neg A) \supset B$, Existential quantification $(\exists x)(...)$ is defined as $\neg(\forall x)\neg(...)$.
- There are standard rules of inference: e.g.,

A & B	A & B	A B
A	В	A & B
$\frac{A \supset B}{B}$	 	T(A) A

29/41

Formalization of the Main Intuition.


Truth, Subderivation and the Liar

Formalizatio

the Main


ntuition.


• And there are assumption discharging rules of inference: e.g.,



• We also have standard quantifier rules.

30 / 41





Truth, Subderivation and the Liar Main Technical Results Main Technica Results.

33 / 41


Main Technical Results.

Truth, Subderivation and the Liar

Main Technica

Results

• Consider the following proof of *L* from premises $L \supset \neg T(L)$ and $L \supset \neg T(L)$ (Note: this can be used as part of a proof of \bot from the same premises):



• This is not a proof in restricted truth logic.

34 / 41

Main Technical Results. Truth. Subderivati and the Lia are about th iar Sentence • In fact, we have: $L \supset \neg T(L)$ in restricted truth logic.

Main Technica Results

Theorem 1: There is no proof of \perp from premises $L \supset \neg T(L)$ and

• Thus, restricted truth logic stops the 'collapse of logic' in the presence of liar sentences.

Main Technical Results.

Truth, Subderivation: and the Liar

Main Technical Results

• Next, we consider the fact that adding a truth predicate to the theory of arithmetic in a certain way creates a proof of \perp .

• Specifically, begin with the usual axioms of *PA*, add a single unary predicate T to the language, and allow the rules of inference:

$$\frac{\sigma(\vec{x})}{T(\lceil \sigma(\vec{x}) \rceil)} \qquad \qquad \frac{T(\lceil \sigma(\vec{x}) \rceil)}{\sigma(\vec{x})}$$

Call the resulting system PA_T .

• Because liar sentences can be constructed in this system, $PA_T \vdash \perp$.


Theorem 2: In restricted truth logic, $PA_T \nvDash \bot$.

Main Technical Results.

Truth, Subderivations and the Liar

- Do we lose something important in adopting restricted truth logic?
- To address this we talk about *semantics*.
- Suppose we have a first order model \mathcal{M} , with a domain $M = \{o_1, o_2, ...\}$, and predicates $P_1, P_2, ...$.


• The for a sentence σ of the language, we say $\mathcal{M} \vDash \sigma$ iff there is a proof of σ using the true atomic sentences / negated atomic sentences of \mathcal{M} as premises, where we allow the infinitary \forall rule:



37 / 41

Main Technical Results.

• <u>Generalization</u>: If we add an operator T to the language, then for a sentence σ of the language we say $\mathcal{M} \vDash_{tr} \sigma$ iff there is a proof of σ from the true atomic sentences / negated atomic sentences of \mathcal{M} , where we allow the infinitary \forall rule, the T rules, and we prohibit the patterns:



Main Technical Results.

Truth, Subderivations and the Liar Why Should I Care about the Liar Sentence?

ruth Concept -) Disquotation. ses of the ruth Concept i) Challenging (ssumptions. formalization of he Main

Main Technica

Results

• In 'Outline of a theory of Truth' Kripke constructs different satisfaction relations (=) for languages containing truth predicates that meet minimal standards of adequacy.

• One of these, the *minimal fixed point* \vDash_{min} , is the 'smallest' reasonable interpretation of the \vDash relation in the presence of a truth predicate.

Theorem (sort of) 3: If $\mathcal{M} \vDash_{min} \sigma$, then $\mathcal{M} \vDash_{tr} \sigma$.

Theorem (sort of) 4: For any \mathcal{M} , $\mathcal{M} \nvDash_{tr} \bot$.

• So \vDash_{tr} captures everything in Kripke's minimal fixed point.

 \bullet This is some sort of (limited) argument that we lose nothing crucial in truth restricted logic.

Main Technical Results.

Truth, Subderivations and the Liar

Main Technica

Truth,

Subderivation: and the Liar

• Still, we must lose *something* in truth restricted logic.

• As with many systems that deny the law of the excluded middle, the following are not true:

• In addition, schemas such as:

$$(A \supset B) \supset (\neg B \supset \neg A), (A \supset (B \supset C)) \supset ((A \supset B) \supset (A \supset C)),$$

are not provable in full generality.

Main Technical Results.

Truth, Subderivations and the Liar

Main Technical Results. Main Claim. I claim that our intuitive reasoning is done in something like restricted truth logic, which is why logic does not collapse in the face of the usual paradoxes that involve the truth predicate.

This involves giving up some of the principles of classical logic - to what extent these sacrifices are acceptable requires more thorough thought.

A more detailed comparison with alternatives (e.g., Hartry Field's system) needs to be performed, though an advantage of restricted truth logic is that it has a philosophic / linguistic motivation that Field's system lacks.

There are various directions in which the technical results given can be expanded and explored further.

41/41