

2009

# Sewing Machine Guide



# Table of Contents

<b>Section A: Threading the Machine.....</b>	<b>1</b>
<b>Section B: Adding the Bobbin .....</b>	<b>16</b>
<b>Section C: Winding the Bobbin .....</b>	<b>21</b>
<b>Section D: Inserting the Needle .....</b>	<b>27</b>
<b>Section E: Getting Started .....</b>	<b>29</b>
<b>Section F: Sewing the Sandbags .....</b>	<b>33</b>

## Section A: Threading the Machine

### Step 1

Place the spools of thread onto the thread holders.


Faka irihaleni kwi ntonga yazo.



## Step 2

Pull thread upward through the hole above the spools from back to front.


Tsala irhaleni pezulu ufake kwiminxuyo utsale nga semva uyise nga phambambili.



### Step 3

Pull thread down and through the hole as shown below.

Tsala irhaleni uyihlise uyifake emgxunyeni nje ngokuba ubona.



## Step 4

Once the thread is through the hole, place thread over the top of the circle.



Xa i rhaleni ingenile emnxunyeni faka irhaleni ngaphakathi komngxunya.



## Step 5

Pull thread down and slightly to the left. Pull the thread through the next section as shown in the images below.

Tsala irhaleni uyihlise uyise ekunxele uyitsala njengokuba ubona emfanekisweni.






## Step 6

Pull thread down through the square metal piece and into the circle.

Tsala irhaleni uyihlise kula nxantathu uyifake kwezi piece uyokuyifaka emngxunyeni.





## Step 7

Run the thread underneath the circle and up through the small, dark metal piece on the opposite side.


Faka irhaleni ngaphantsi komngxunya uwutsale uwufake kulo mngxunya omnyama ufake kwesi sise macaleni.



## Step 8

Run the thread underneath the larger L-shaped metal piece.


Faka irhaleni ngaphantsi kwalento ingathingu kwezi piece uzibonayo.



## Step 9

Run thread up and through the hole as shown below.


Faka irhaleni ngaphezulu uyifakengaphantsi  
kwemingxunya njengokuba ubona.



## Step 10

Pull thread down and through the second square metal piece.

Ntsala irhaleni uyihlise uyifake kulo mnxunya wesibini.



## Step 11

Pull thread further down and through the metal oval.

Tsala irhaleni kancinci uyise ngaphansi uyifake  
ngaphantsi kwi oval.



## Step 12

Pull thread through the hole from front to back as shown below.

Tsala irhaleni uyifake emnxunyeni ngaphambili nanga semva njenjo khuba ubona.



## Step 13

Thread the needle from left to right.

Irhali uyifaka enalitini ukuza ekhohlo ukuya ekunene.






## Section B: Adding the Bobbin

### Step 1

Check to make sure the bobbin has enough thread.

Qiniseka ukuthi lento ingathi sisangqa ukuthi ihlala  
inerhaleni.



## Step 2

Add bobbin to bobbin case. Loop the thread under as shown below.


Tsala irhaleni ngaphantsi njenjokuba ubona.



### Step 3

Tug at the thread to make sure it is secure, but not too tight.

Faka irhaleni uqinisekise ukuba ibambekile kodwa ingaqini.



## Step 4

Lift the sewing machine up so you can see underneath. Hold the end of the bobbin thread and push the bobbin into its socket.


Pakamisa umatshini wakho uzokubona ngaphantsi kwawo ubambe apho kukho irhaleni khona ufake esosangqa kulanto ingathi sisangqa.



## Step 5

Lightly push on the foot pedal while simultaneously spinning the hand wheel and holding the main thread. The bobbin thread should catch within the first few wheel turns.

Phusha kancinci kula pedal xa ujija iviri ube ubambe irhaleni yakho kuko lanto into engathi sisanqa apho elavili lispinakhona.



## Section C: Winding the Bobbin

### Step 1

Once the bobbin is empty, take it out of the bottom of the machine and slide it on to the bobbin holder on the right side of the machine.

Xa ufake irhaleni ingenanto yikhuphe nga phantsi kwe komtshini uyitsale nge rhaleni uyitsale kakuhle ngomatshini.





## Step 2

Run the thread underneath the circle and towards the bobbin.

Faka irhaleni ngaphantsi kwe sangqa use uyokufika kwi sangqa.





### Step 3

Wrap the thread around the bobbin several times until it holds.

Phitanisa irhaleni uyijikelise kwi ntonga ngamaxesha athile ide ibambe.



## Step 4

Press the metal piece towards the bobbin.

Cinezela lanto ingati yimental iyokufika kwi rhaleni.



## Step 5

Press your foot on the pedal until the bobbin begins to wind. Remove your foot from the pedal when the bobbin is full.

Cinezela nge nyawo lwakho kude irhaleni ide ibambe umoya ususe unyawolwakho xa irhaleni igcwele.



## Step 6

Remove the full bobbin from the side of the machine.

Susa le igcweleyo uyisuse ecaleni komatshini.



## Section D: Inserting the Needle

### Step 1

Using an empty bobbin, turn the screw on the right side just above the needle.

Xa usebenzisa ibhobhini engenanto jikeleza isitrufu kwicala lase khohlo ngaphantsi kwenaliti.



## Step 2

Insert the needle with the groove facing away from the machine. Tighten the screw until the needle is secure.

Faka inaliti ngobuso ijonje ecaleni lomatshini qinisa inaliti uyijije kude ibambeke.





## Section E: Getting Started

### Step 1

Press your knee against the knee lever to raise the foot.

Cinezela ngedolo elinye uphakamise unyawo.






## Step 2

Move both threads underneath the pressure foot to the left.

Susa irhaleni zombini ngaphantsi konyawo lwase khohlo.



### Step 3

With the foot still raised, move a piece of fabric underneath. Release the knee lever.

Ngonyawo lwakho utsale ilaphu lakho ngaphantsi ususe idolo lwakho.



## Step 4

Press lightly on the foot pedal to start sewing.

Cinezela kancinci ngonyawo lwakho uqa  
le uthunge.



## Section F: Sewing the Sandbags

### Step 1

Take the 30cm x 70cm material and fold so that one end is 10cm over the other end.

Thatha i30cm x 70cm yelaphi ulisonge ukhuze elinye icala libe yi10cm ekupheleni.



## Step 2

Keep the original fold. Fold the 10cm edge in the opposite direction. This will leave a 10cm flap.

Gcina elalaphu lisongiweyo kwi 10cm ukhuya esiphelweni kwichala ledlela yona iza shiya i10cm yelaphu.





### Step 3

Start on an open edge of the sandbag. Sew forward about 1 cm from the edge, then back using the lever.

Qala kwelacala livulekileyo ukwenza ibag yesanti yiya phabhili ukuya kwi1cm ekhupheleni ukuya emva sebenzisa imngca efanayo.



## Step 4

Continue forward until you reach the end. Sew back once more to seal the stitch.

Qibezela uyephambili ude uyoku fika ekuqibeleni uye emva kancinci ukuqinisa imithungo.





## Step 5

Do the same as Step 4 for the opposite side.

Yenza ngokufanayo kwisteps sesine ukhuya emacaleni.



## Step 6

Fill the sandbag with sand and fold the flap over to seal.

Cwalisa isinxobo sesanti usiqobe ngapha kwe santi.

