



# Vanderbilt Assessment Scale: ADHD Toolkit Teacher-Informant Form

Child's name: \_\_\_\_\_ Teacher's name: \_\_\_\_\_

Today's date: \_\_\_\_\_ School: \_\_\_\_\_ Gr: \_\_\_\_\_ Teacher's fax number: \_\_\_\_\_

Time of day you work with child: \_\_\_\_\_

**Directions:** Each rating should be considered in the context of what is appropriate for the age of the child you are rating and should reflect that child's behaviors of the school year. **Please indicate the number of weeks or months you have been able to evaluate the behaviors:** \_\_\_\_\_

This evaluation is based on a time when the child:  Was on medication  Was not on medication  Not sure

Behavior	Never (0)	Occasionally (1)	Often (2)	Very Often (3)
1. Does not give attention to details or makes mistakes that seem careless in schoolwork				
2. Has difficulty sustaining attention on tasks or activities				
3. Does not seem to listen when spoken to directly				
4. Does not follow through on instructions and does not finish schoolwork (not because of refusal or lack of comprehension)				
5. Has difficulty organizing tasks and activities				
6. Avoids, dislikes, or does not want to start tasks that require sustained mental effort				
7. Loses things necessary for tasks or activities (eg, school assignments, pencils, books)				
8. Is easily distracted by extraneous stimuli				
9. Is forgetful in daily activities				

For Office Use Only  
2s & 3s \_\_\_\_/9

10. Fidgets with hands or feet or squirms in seat				
11. Leaves seat when remaining seated is expected				
12. Runs about or climbs too much when remaining seated is expected				
13. Has difficulty playing or beginning quiet games				
14. Is on the go or often acts as if "driven by a motor"				
15. Talks excessively				
16. Blurts out answers before questions have been completed				
17. Has difficulty waiting his or her turn				
18. Interrupts or intrudes on others' conversations or activities				

For Office Use Only  
2s & 3s \_\_\_\_/9

# Vanderbilt Assessment Scale: ADHD Toolkit Teacher-Informant Form



Child's name: \_\_\_\_\_ Today's date: \_\_\_\_\_

Behavior	Never (0)	Occasionally (1)	Often (2)	Very Often (3)
19. Loses temper				
20. Actively defies or refuses to adhere to adult's requests or rules				
21. Is angry or resentful				
22. Is spiteful and vindictive				
23. Bullies, threatens, or intimidates others				
24. Initiates physical fights				
25. Lies to get out of trouble or to avoid obligations (ie, cons others)				
26. Is physically cruel to people				
27. Has stolen things of nontrivial value				
28. Deliberately destroys others' property				

For Office Use Only  
2s & 3s \_\_\_\_/10

29. Is fearful, anxious, or worried				
30. Is self-conscious or easily embarrassed				
31. Is afraid to try new things for fear of making mistakes				
32. Feels worthless or inferior				
33. Blames self for problems or feels guilty				
34. Feels lonely, unwanted, or unloved; often says that no one loves him or her				
35. Is sad, unhappy, or depressed				

For Office Use Only  
2s & 3s \_\_\_\_/7

Academic and Social Performance	Excellent (1)	Above Average (2)	Average (3)	Somewhat of a Problem (4)	Problematic (5)
36. Reading					
37. Writing					
38. Mathematics					
39. Relationship with peers					
40. Following directions					
41. Disrupting class					
42. Assignment completion					
43. Organizational skills					

For Office Use Only  
4s \_\_\_\_/8

For Office Use Only  
5s \_\_\_\_/8

Comments:

## Vanderbilt Assessment Scale: *ADHD Toolkit* Teacher-Informant Form



Child's name: \_\_\_\_\_ Today's date: \_\_\_\_\_

**Tic behaviors:** To the best of your knowledge, please indicate if **the** child displays the following behaviors:

- 1. Motor tics:** Rapid, repetitive movements such as eye blinking, grimacing, nose twitching, head jerks, shoulder shrugs, arm jerks, body jerks, and rapid kicks.
  - No tics present.
  - Yes, they occur nearly every day but go unnoticed by most people.
  - Yes, noticeable tics occur nearly every day.
- 2. Phonic (vocal) tics:** Repetitive noises including, but not limited to, throat clearing, coughing, whistling, sniffing, snorting, screeching, barking, grunting, and repetition of words or short phrases.
  - No tics present.
  - Yes, they occur nearly every day but go unnoticed by most people.
  - Yes, noticeable tics occur nearly every day.
- 3. If YES to 1 or 2, do these tics interfere with **the** child's activities (eg, reading, writing, walking, talking, eating)?**
  - No  Yes

**Previous diagnosis and treatment:** Please answer the following questions to the best of your knowledge:

- Has **the** child been diagnosed as having ADHD or ADD?
  - No  Yes
- Is he or she on medication for ADHD or ADD?
  - No  Yes
- Has **the** child been diagnosed as having a tic disorder or Tourette syndrome?
  - No  Yes
- Is he or she on medication for a tic disorder or Tourette disorder?
  - No  Yes

Adapted from the Vanderbilt rating scales developed by Mark L. Wolraich, MD.

# Vanderbilt Assessment Scale: *ADHD Toolkit* Teacher-Informant Form



Child's name: \_\_\_\_\_ Today's date: \_\_\_\_\_

## For Office Use Only

Total number of questions scored 2 or 3 in questions 1–9: \_\_\_\_\_

Total number of questions scored 2 or 3 in questions 10–18: \_\_\_\_\_

Total number of questions scored 2 or 3 in questions 19–28: \_\_\_\_\_

Total number of questions scored 2 or 3 in questions 29–35: \_\_\_\_\_

Total number of questions scored 4 in questions 36–43: \_\_\_\_\_

Total number of questions scored 5 in questions 36–43: \_\_\_\_\_

